


01 SERIES

AVIATION

DVC 01-111A

CH-47 FLIGHT SIMULATOR



Purpose of Trainer:

To provide training in the techniques of visual and instrument flight in the CH-47 Helicopter and to aid in maintaining proficiency in these techniques after completion of formal training. The trainer is used for initial and refresher training of aviators in cockpit procedures, visual flying techniques, instrument flying techniques, and radio navigation for the CH-47D Helicopter. The specific training requirements supported are shown following the descriptive data.

Contents:

DVC#:

Auth Issue

1 CH-47 Simulator

A01-111A


Equipment Required, Not Supplied:

None

COMING FY 11

DVC 01-113

UH-60 BLACKHAWK FLIGHT SIMULATOR

**Purpose of Trainer:**

To provide training in the techniques of visual and instrument flight in the UH-60 Helicopter and to aid in maintaining proficiency in these techniques after completion of formal training. The trainer is used for initial and refresher training of aviators in cockpit procedures, visual flying techniques, instrument flying techniques, and radio navigation for the Blackhawk Helicopter. The specific training requirements supported are shown following the descriptive data.

Contents:**DVC#:**

Auth Issue

1 — UH-60 Simulator

A01-113

Equipment Required, Not Supplied:

None

Located on FWA; call 361-6320
to schedule

03 SERIES

CHEMICAL

DVC 03-03

AERIAL RADIOLOGIC SURVEY



Purpose of Trainer:

Contents:

Auth Issue

1 — Aerial Radiologic Survey

DVC#:

A03-03

Kit Components

Part Number

—
—

Equipment Required, Not Supplied:

None

DVC 03-10

M81 SIMULATOR, DETECTOR UNIT



Purpose of Trainer:

The M81 Simulator is a portable training device, designed for use in field with M43A1 chemical agent detector. It will be used to support training and doctrine command schools and training centers worldwide. The specific training requirements supported are shown following the descriptive data.

Contents:

DVC#:

Auth Issue

1 ___ M81 Detector Kit A03-06

Kit Components

Part Numbers

<u>4</u> ___	M431A Interface Cable	C5-15-8806
<u>4</u> ___	Extender Cable	D5-15-8817
<u>4</u> ___	Receiver Assembly	D5-15-8819
<u>1</u> ___	Transmitter Assembly	D5-15-8843
<u>5</u> ___	Tone Module Set	D5-15-8850-000
<u>1</u> ___	Tone Module Case	L-A03-06-1
<u>4</u> ___	Antenna	C5-15-8903
<u>1</u> ___	Manual	TM3-6665-316-12
<u>1</u> ___	M81 Transit Case	D5-15-8856

Equipment Required, Not Supplied:

None

DVC 03-16

XM32 CHEMICAL AGENT MONITOR SIMULATOR (CAMSIM)

**Purpose of Trainer:**

Provides realistic training for the CAM. Replicates system employment as closely as technology will permit.

Contents:**DVC#:**

Auth Issue

1 CAMSIM Kit

A03-16

Kit Components**Part Number**

<u>1</u> <u> </u>	CAMSIM w/ Cap	L-A03-16-1
<u>1</u> <u> </u>	H Air/Vehicle Simulation	L-A03-16-2
<u>1</u> <u> </u>	G Air/Vehicle Simulation	L-A03-16-3
<u>7</u> <u> </u>	Simulation Point Sources	L-A03-16-4
<u>6</u> <u> </u>	Simulation Nozzle Filters	L-A03-16-5
<u>1</u> <u> </u>	Instructor Remote with Battery	L-A03-16-6
<u>2</u> <u> </u>	Error Cards	L-A03-16-7
<u>2</u> <u> </u>	CAMSIM key	L-A03-16-8
<u>1</u> <u> </u>	Simulation Confidence Tester	L-A03-16-9
<u>1</u> <u> </u>	Tape Roll	L-A03-16-10
<u>1</u> <u> </u>	Computer Interface Cable	L-A03-16-11
<u>1</u> <u> </u>	Operational Instructions	L-A03-16-12
<u>1</u> <u> </u>	Transit Case	L-03-16-TRAN

Equipment Required, Not Supplied:


None

05 SERIES

ENGINEER

DVC 05-01

MAP READING TRAINER KIT



Purpose of Trainer:

For use in the classroom to demonstrate principles of map reading and land navigation. The trainer is used to assist the instructor in teaching the basic principles of land navigation with emphasis on appreciation and evaluation, marginal information, topographic map symbols, methods of orientation and resection, and the military grid reference system, beginning at the elementary level. The device can be used in conjunction with FM 21-26 "Map Reading." The specific training requirements supported are shown following the descriptive data.

Contents:

DVC#:

Auth Issue

1 ____ Map Reading Trainer

A05-01

Kit Components

Part Number

1 ____ Oversized Compass

AE05-011

1 ____ Oversized Map


L-A05-01-1

Equipment Required, Not Supplied:

None

DVC 05-05

MODEL BRIDGE: ALUMINUM DECK BALK SUPERSTRUCTURE PNEUMATIC CLASS M4T6 TRAINING AID



Purpose of Trainer:

To realistically demonstrate and instruct in the methods of assembling the actual bridge, and to conduct practical exercises in the floating bridge, raft, and deck balk, short-span, fixed-bridge construction. The trainer is to be used for instructing personnel in the construction of all phases of this type of bridge equipment, in the techniques of demolition of assembled and stockpiled floating bridges, and in demonstrating techniques involved in river crossing operations of this type of actual bridge.

Contents:

DVC#:

Auth Issue

1 M4T6 Model Bridge

A05-05

Kit Components

Part Number

Equipment Required, Not Supplied:

None

DVC 05-07

TRAINING AID, MODEL BRIDGE: BAILEY



Purpose of Trainer:

To realistically demonstrate the methods of assembling the actual bridge, and for conducting practical exercises in constructing M2 Bailey-Type Bridges. The trainer is intended to be used for instruction in all phases of construction of this type bridge equipment. It can also be used for teaching the techniques of demolition of panel-type bridges and for demonstrating techniques involved in river crossing operations.

Contents:

Auth Issue

1 ___ Bailey Model Bridge

DVC#:

A05-07

Kit Components


Part Number

Equipment Required, Not Supplied:

None

DVC 05-08

MODEL BRIDGE: TIMBER-TRESTLE TRAINING AID



Purpose of Trainer:

To realistically demonstrate the methods of assembling the actual bridge, and to conduct practical exercises in constructing Class 50/80 Timber-Trestle Bridges. The trainer is intended to be used for instruction in all phases of the construction of this type bridge equipment. It can also be used for teaching the techniques of demolition of timber-trestle type bridges and for demonstrating techniques involved in river crossing operations.

Contents:

DVC#:

Auth Issue

1 Timber-Trestle Model Bridge A05-08

Kit Components

Part Number

Equipment Required, Not Supplied:

None

AE05-11

LENSATIC COMPASS TRIPOD



Purpose of Trainer:

The three dimensional device is used for instructional purposes to insure that soldiers can obtain a correct azimuth and a working knowledge of the Lensatic Magnetic Compass.

Contents:

DVC#:

Auth Issue

1 — Lensatic Compass

AE05-11

Equipment Required, Not Supplied:

None.

DVC 05-20

MODULAR PACK MINE SYSTEM (MOPMS) TRAINING DISPENSER



Purpose of Trainer:

The M136 MOPMS Training Dispenser is the trainer for the M131 MOPMS Ground Dispenser and Mine. It is used to demonstrate operation and maintenance procedures for the MOPMS.

Contents:

Auth Issue

1 ____ Case with handles 155 lb

DVC#:

A05-20

Equipment Required, Not Supplied:

Remote Control, M71 Land Mines

DVC-D 05-048A

M21 ANTITANK MINE MOLD



Purpose of Trainer:

Mold is utilized to create concrete mine for training. Concrete mines are the interim solution for collective and force-on-force training and will be used until the Mine Effects Simulator is available.

Contents:

Auth Issue

1 M21 AT Mine Mold

DVC #:

D05-048A

Equipment Required, Not Supplied:

Concrete mix

DVC-D 05-048B

M16 MINE MOLD



Purpose of Trainer:

Device is used to make a training aid out of concrete that resembles the M16 Mine.

Contents:

Auth Issue

1 M16 AT Mine Mold

DVC #:

D05-048B

Equipment Required, Not Supplied:

Concrete mix

DVC-T 05-041

PLACED TRAINING MINE (PTM) KIT



Purpose of Trainer:

The PTM kit is used to demonstrate and practice arming and disarming procedures of mines and booby traps. Mines produce an audible sound when detonated.

Contents:

Auth Issue

1 ____ PTM Kit

DVC #:

T-05-041

Kit Components

1 ____ Transit Case

1. Mines:

1 ____ M14

1 ____ M16A1

1 ____ M18A1 Anti-personnel

1 ____ M15

1 ____ M19

1 ____ M21 Anti-tank

2. Anti-handling Devices:

1 ____ M1

1 ____ M1A1

1 ____ M3

1 ____ M5

1 ____ M142

3. Fuzes:

1 ____ M603

1 ____ M606

1 ____ M607

4. Wrenches:

1 ____ M20

1 ____ M22

1 ____ M25

1 ____ M26

5. Misc. Items:

Part Number

L-T05-014TRAN

T23-038

T23-034

T05-060

05-048 C

05-048D

T23-33

L-T05-041-1

L-T05-041-2

L-T05-041-3

L-T05-041-4

L-T05-041-5

L-T05-041-6

T05-048H

T05-048E

D05-048J

D05-048M

D05-048I

D05-048G

<u>1</u>	___	M1 Activators	D05-048K
<u>1</u>	___	M2 Activators	D05-048L
<u>1</u>	___	M120 Booster	D05-048N
<u>1</u>	___	Tilt Rod	D05-048F

Equipment Required, Not Supplied: None

DVC-T 05-50

UNEXPLODED ORDNANCE (UXO) RECOGNITION BOARD 7 BOARD SET



Purpose of Trainer:

The device is used for classroom and outdoor instruction on the UXO Unexploded Ordnance (AMMO) in a two-dimensional, seven board set of graphic aids that show the actual dimensions of mortars, rockets, submunitions, projectiles and rifle, thrown and placed ordnance.

Contents:

DVC #:

Auth Issue

1 UXO Recognition Kit T05-050

Kit Components

Part Number

<u>1</u> <u> </u>	Submunitions	T05-50-1
<u>1</u> <u> </u>	Projectile	T05-50-2
<u>1</u> <u> </u>	Mortars	T05-50-3
<u>1</u> <u> </u>	Rockets	T05-50-4
<u>1</u> <u> </u>	Rifle Grenades	T05-50-5
<u>1</u> <u> </u>	Thrown	T05-50-6
<u>1</u> <u> </u>	Placed	T05-50-7

Equipment Required, Not Supplied:

None

DVC-T 05-053

BOSNIA MINE RECOGNITION SET - 4 BOARD BOX SET



Purpose of Trainer:

The device is used for classroom and outdoor instruction on the UXO Unexploded Ordnance (AMMO) in a two-dimensional, four board set of graphic aids that show the actual dimensions of foreign country mines. These boards are used to conduct both unit and individual mine awareness training to deploying and. deployed U.S. forces in order to improve a soldier's ability to recognize UXO hazards.

Contents:

DVC #:

Auth Issue

1 ___ Bosnia Mine Rec. Kit T05-053

Kit Components

Part Number

<u>1</u>	___	Mine Recognition 1	T05-51-1
<u>1</u>	___	Mine Recognition 2	T05-51-2
<u>1</u>	___	Mine Recognition 3	T05-51-3
<u>1</u>	___	Mine Recognition 4	T05-51-4

Equipment Required, Not Supplied:

None

DVC-T 05-060

M18A1 CLAYMORE MINE



Purpose of Trainer:

The device is used for classroom and outdoor instruction on the mine characteristics and nomenclature; the arming, handling, and functioning of the mine; and can also be used for minefield emplacement training.

Contents:

DVC #

Auth Issue

1 ____ Claymore Mine Kit T05-060

Kit Components

Part Number

<u>1</u> ____	M33 AP Practice Mine	L-T05-060-1
<u>1</u> ____	M40 Electrical Test Set	L-T05-060-2
<u>1</u> ____	M57 Firing Device	L-T05-060-3
<u>1</u> ____	M10 Blasting Cap Wire	L-T05-060-4
<u>1</u> ____	Transit Case	L-T05-060TRAN

Equipment Required, Not Supplied:

None

DVC-T 05-062

IMPROVISED EXPLOSIVE DEVICE (IED) TRAINING KIT



Purpose of Trainer:

The intent is that while training, a unit will be exposed to a wide variety of IEDs. The munitions in the kit are interchangeable to reflect the weapon of choice used in the area of operation

Contents:

DVC #:

Auth Issue

1 ___ IED Kit

T05-062

Kit Components

Part Number

<u>1</u> ___	82mm Mortar Round	T09-036-1
<u>1</u> ___	Soviet Frag Grenade	T09-48-3
<u>1</u> ___	107mm Rocket	T09-060-3
<u>1</u> ___	122mm Artillery Round	T09-063-10
<u>1</u> ___	VS-2.2 Anti Tank Mine	T09-105-4
<u>1</u> ___	VS-1.6 Anti Tank Mine	T09-105-9
<u>1</u> ___	Simulator Remote Detonator	L-T05-062-1
<u>2</u> ___	Simulator Cell Phone	L-T05-062-2
<u>1</u> ___	2"x24" Metal Pipe Bomb	L-T05-062-3
<u>2</u> ___	1 lb Clay Block (C-4)	L-T05-062-4
<u>2</u> ___	2" Gray Duct Tape Roll	L-T05-062-5
<u>1</u> ___	3/4" Black Electrical Tape Roll	L-T05-062-6
<u>1</u> ___	50' Detonation Wire Roll	L-T05-062-7
<u>1</u> ___	Manual 60 Minute Timer	L-T05-062-8
<u>3</u> ___	Soda Can Simulated IED	L-T05-062-9
<u>1</u> ___	PMN Anti-personnel Mine	L-T05-062-11
<u>1</u> ___	IED Transit Case	L-T05-062TRAN
<u>1</u> ___	6V Lantern Battery	L-BAT-6V-LAN

Equipment Required, Not Supplied:

None

DVC-T 05-63

CREW-1 WARLOCK KIT



Purpose of Trainer:

The Warlock is a vehicle-mounted Counter Radio-Controlled Improvised Explosive Device Electronic Warfare (Crew) system used to interrupt different frequency bands.

Contents:

DVC#:

Auth Issue

1 Crew-1 WARLOCK Kit

T05-63

Kit Components

Part Number

1 Green Kit

T05-63-1

1 Red Kit

T05-63-2

1 SSVJ Kit

T05-63-3

1 ICE Kit

T05-63-4

1 Interrupt Device (CID)

A11-123A

1 Transit Case

L-05-63-TRAN

Equipment Required, Not Supplied:

Vehicle

DVC 11-123

INTERUPT DEVICE



Training Category/Level Utilized:

Signal/Level 3

Logistic Responsible Command, Service, or Agency:

PEO-STRI, Orlando FL

Source and Method of Obtaining:

Available through local TSC

Purpose of Trainer:

Allows the CREW 1 or Duke training devices to disable any IED trainer that uses a hard-wired trigger and Improvised Explosive Device (IED) simulator.

Functional Description:

DVC 11-123 provides a training simulator that is hard-wired between a trigger and IED. When the Interrupt Device receives a disarm code from the CREW 1 or Duke training devices it opens the circuitry between the trigger and IED thereby preventing detonation.

Physical Information:

Dimensions: 7" x 4" x 2"

Weight: 1.6 lb.

Equipment Required, Not Supplied:

"AA" Batteries (8) total

Special Installation Requirements:

None

Power Requirements:

"AA" Batteries (8) total

Applicable Publications: NOTE: Interrupt Device is under CREW 1 Technical Publications

Operators Manual: 11-6920-701-10

System Maintenance Manual: 11-6920-701-24 and P

Reference Publications:

None

Training Requirements Supported:

Individual Training: Any MOS with a mission requirement to operate in an environment where the Improvised Explosive Device threat is likely.

DVC # 11- 123/A

INTERRUPT DEVICE 2

**Training Category/Level Utilized:**

Signal/Level 3

Logistic Responsible Command, Service, or Agency:

PEO-STRI, Orlando FL

Source and Method of Obtaining:

Available through local TSC

Purpose of Trainer:

The Interrupt Device 2 (ID2) may be operationally hardwired between any electrical detonation system and any electrically detonated cuing device. The ID2 is capable of receiving disable commands from the CREW 2 training device when emplaced within the operating range of the CREW 2 training device. The disable command opens the circuit between the cuing device and the detonator thereby preventing detonation of the attached explosive device.

Functional Description:

The ID2 is capable of transmitting identification of eight (8) different types of cuing devices to the CREW 2 training device for AAR purposes. When the CREW 2 training device moves out of effective range, the ID2 resets by closing the previously opened circuit; thereby making detonation of the hardwired explosive device possible. The ID2 possesses the identical physical characteristics of the Interrupt Device 1, and utilizes the same radio frequency as the CREW 2 training device. The only distinguishing characteristic of the ID2 from the Interrupt Device 1 is an eight (8) position switch on the side of the ID2 unit.

Physical Information:

Dimensions: 7-9/16" wide x 2-1/16" high x 3-15/16" deep

Weight: 1.529 lb.

Equipment Required, Not Supplied:

"AA" Batteries (8) total

Special Installation Requirements:

None

Power Requirements:

"AA" Batteries (8) total

Applicable Publications:

Operators Manual: 11-6920-701-10 (same as the Interrupt Device 1; will be revised to incorporate Interrupt Device 2)

System Maintenance Manual: 11-6920-701-24 and P (same as the Interrupt Device 1; will be revised to incorporate Interrupt Device 2))

Reference Publications:

None

Training Requirements Supported:

Individual Training: Any MOS with a mission requirement to operate in an environment where the Improvised Explosive Device threat is likely.

DVC 11- 124

COUNTERMEASURE INDICATOR UNIT



Training Category/Level Utilized:
Signal/Level 3

Logistic Responsible Command, Service, or Agency:
PEO-STRI, Orlando FL

Source and Method of Obtaining:
Available through local TSC

Purpose of Trainer:

The Countermeasure Indicator Unit (CIU) provides a 360 degree visual indication...via a Light Emitting Diode (LED) indicator beacon...to personnel within visual range of the CIU when operating in both day and night operations that an operational CREW 2 training device is within range of the CIU. The CIU is capable of receiving radio frequency from the CREW 2 training device across all four assigned frequencies.

Functional Description:

When the CIU is in normal mode operations (2) red LEDs within the indicator beacon will illuminate indicating an operating CREW 2 training device is NOT within operational range of the CIU. When the CIU is in tactical mode operations the red LEDs are not illuminated also indicating an operating CREW 2 training device is NOT within operational range of the CIU, and enabling a reduction of position awareness and saving CIU battery power. When an operating CREW 2 training device is within operational range of the CIU (2) green LEDs within the indicator beacon will illuminate indicating the CREW 2 training device is transmitting. The CIU is powered by a 12 volt rechargeable battery, and includes a 110/220 volt recharging pack capable of being housed within the CIU.

Physical Information:

Dimensions: 9-5/8" wide x 4-3/8" high x 7-1/2" deep
Weight: 6.436 lb.

Equipment Required, Not Supplied:
None

Special Installation Requirements:
None

Power Requirements:
12 volt lead-acid rechargeable battery

Applicable Publications:

Operators Manual: 11-6920-704-10
System Maintenance Manual: 11-6920-704-24 and P

Reference Publications:

None

Training Requirements Supported:

Individual Training: Any MOS with a mission requirement to operate in an environment where the Improvised Explosive Device threat is likely.

DVC 05-103-1

ANTI-PERSONNEL OBSTACLE BREACHING SYSTEM (APOBS)



Purpose of Trainer:

To provide the soldier with a classroom training aid as well as a field training aid for use in collective training environment.

Contents:

DVC#:

Auth Issue

1 ___ APOBS Kit

A05-103-1

Kit Components

Part Numbers

1 ___ Back Pack Front

L-A05-103-1-1

1 ___ Back Pack Rear

L-A05-103-1-2

1 ___ Rocket Rod

L-A05-103-1-3

1 ___ Rocket Motor

L-A05-103-1-4

1 ___ Accessory Case

L-A05-103-1-5

1 ___ Rear Fuze

L-A05-103-1-6

1 ___ Front Fuze

L-A05-103-1-7

1 ___ Wire

L-A05-103-1-8

1 ___ Detonator

L-A05-103-1-9

1 ___ Transit Case

L-A05-103-1-10

Equipment Required, Not Supplied:

None

DVC 05-104

SELECTABLE LIGHTWEIGHT ATTACK MUNITION (SLAM)



Purpose of Trainer:

The SLAM will be employed by units to simulate destroying enemy vehicles, parked aircraft, ammunition and POL sites, and storage facilities while avoiding direct contact with the enemy.

Contents:

DVC#:

Auth Issue

<u>1</u> <u> </u>	SLAM Kit	A05-104
	<u>Kit Components</u>	<u>Pat Number</u>
<u>1</u> <u> </u>	Electronic Firing Device	MIL-RC-EFD
<u>2</u> <u> </u>	8" Ground Stake	MIL-08-GS
<u>1</u> <u> </u>	Ground Stake Block	MIL-90-GS
<u>3</u> <u> </u>	20" SLAM Tube	MIL-20-ST
<u>1</u> <u> </u>	BOA Wrench	MIL-2P-SWK
<u>2</u> <u> </u>	Straight Firing Actuator	MIL-4R-FA
<u>1</u> <u> </u>	90 Degree Firing Actuator	MIL-5R-FA
<u>9</u> <u> </u>	Refillable CO2 Tank Base	MIL-4R-SB
<u>3</u> <u> </u>	HP Male Adapter	MIL-500-SMA
<u>9</u> <u> </u>	CO2 Tank HF Valve	MIL-9R-CO-HF
<u>3</u> <u> </u>	End Cap	MIL-EC-ST
<u>1</u> <u> </u>	Shrapnel Head	MIL-SH-ST
<u>1</u> <u> </u>	Shape Charge Head	MIL-SC-ST
<u>1</u> <u> </u>	Right Angle Head	MIL-90-CH
<u>1</u> <u> </u>	Operator Manual	MIL-SIM-FX
<u>1</u> <u> </u>	SLAM Transit Box	MIL-2E-TC
<u>1</u> <u> </u>	CO2 Tank Transit Box	MIL-2E-TC-1
	<u>Optional Components</u>	<u>TS-MATS DVC #</u>
<u>1</u> <u> </u>	Manual Firing Device	L-MIL-MN-MFD
<u>1</u> <u> </u>	Air Line Cutter	L-MIL-4R-AL
	<u>Expendable Components</u>	<u>TS-MATS DVC #</u>
<u>9</u> <u> </u>	12 gm CO2 Cartridge	L-MIL-12-CO2
<u>1</u> <u> </u>	Baby Powder	L-MIL-FX-PDR
<u>9</u> <u> </u>	HP Burst Disc (Black)	L-MIL-BD-BLK
<u>9</u> <u> </u>	HP Burst Disc (Clear)	L-MIL-BD-CLR
<u>5'</u> <u> </u>	Air Line	L-MIL-4R-AL

3 ___ Dust Boot

L-MIL-AC-DB

Equipment Required, Not Supplied: None

DVC 05-105

AN/PSS-14 SWEEP MONITORING SYSTEM (SMS)



A05-107

TRAINING IMPROVISED EXPLOSIVE DEVICE (TIED) KIT



M80



CID



M12



M155FT



CO2 TANK



WIRE



PYRO PIGTAIL



CONTROLLER UNIT

Purpose of Trainer:

Approved training aid/device for simulating several different size devices (large, pressure-sensitive mine, and booby trap) for IED training.

Contents:

DVC #:

Auth Issue

1 TIED Kit

A05-107

Kit Components

Part Number

<u>1</u> Large Report M155FT	A05-107-1
<u>1</u> Large CO2 Fill Tank	A05-107-1-FT
<u>1</u> Common Interface Device (CID)	A05-107-1-CID
<u>1</u> Wire (Professional Speaker)	L-05-107-2
<u>1</u> Pyrotechnic Pigtail	L-05-107-3
<u>1</u> Remote Trigger	L-05-107-4
<u>1</u> Battery Charger Power Chord	L-05-107-5

Optional Components

TS-MATS DVC#

<u>1</u> M12 Booby Trap	A05-107-1-M12
<u>1</u> M80 Land Mine	A05-107-1-M80

Expendable Components

TS-MATS DVC#

<u>9</u> Balloon w/o Lanyard	L-BALOON1
<u>9</u> Balloon w/ Lanyard	L-BALOON2
<u>9</u> Balloon w/o Tube	L-BALOON3
<u>9</u> Balloon w/ Tube	L-BALOON4
<u>1</u> Baby Powder	L-MIL-FX-PDR
<u>9</u> 12 gm CO2 Cartridge	L-MIL-12-CO2

Equipment Required, Not Supplied:

Trip Wire

06 SERIES

FIELD ARTILLERY

DVC 06-19A

ARTTILLARY MINE NOISE SIMULATOR KIT (12V)



Purpose of Trainer:

To provide Artillery noise for simulated training.

Contents:

DVC#:

Auth Issue

1 ___ Art Mine Noise Sim Kit A06-19A

Kit Components

Part Number

1 ___

Equipment Required, Not Supplied:

None.

DVC O6-19C

ARTTILLARY MINE NOISE SIMULATOR KIT (12V/110VAC)



Purpose of Trainer:

To provide Artillery noised for simulated infantry training.

Contents:

`DVC#:

Auth Issue

1 ___ Art Mine Noise Sim Kit A06-19C

Kit Components

Part Number

1 ___

Equipment Required, Not Supplied:

None.

DVC 06-69-1

M2K DIFCUE KIT (M1A1)



Purpose of Trainer:

The Direct / Indirect Fire Cue (DIFDCUE) is part of the MILES 2000 systems and is mounted on the MGSS Combat Vehicle to interface with the Combat Vehicle System. The Combat Vehicle System will provide a signal to trigger the DIFCUE when a catastrophic kill has been assessed by the DPCU.

Contents:

DVC#:

Auth Issue

1 ____ CFFT Kit

A06-69-1

Kit Components

Part Numbers

1 ____ DIFCUE Firing Unit

148301-2

1 ____ Mounting Bracket

L-A06-69-1-1

1 ____ Fire Control Unit

L-A06-69-1-2

1 ____ FCU Interconnect Cable

P1/P2

1 ____ Power Cable

P1/J1

1 ____ KSI Trigger Cable

P2/J1-REV-C

1 ____ Operator Manual

TD9-6920-893-10

1 ____ Transit Case

L-06-69-1-TRAN

Equipment Required, Not Supplied:

None

DVC 06-111A

CALL FOR FIRE TRAINER (CFFT) 1:4 CONFIGURATION



Purpose of Trainer:

The CFFT provides realistic high fidelity virtual environments and intelligent friendly, opposing and non-combatant simulated forces. The CFFT provides quality training for the Fire Support Specialist, MOS 13F, Skill Levels 10-40, and company grade Field Artillery Officers, as well as a common observed fire trainer for all Soldiers. CFFT trains soldiers how to call for fire.

Contents:

Auth Issue

1 ____ CFFT Kit

DVC#:

A06-111B

Kit Components

1 ____ Instructor Station

4 ____ Student Station

Part Numbers

L-A06-111B-1

L-A06-111B-2


Equipment Required, Not Supplied:

None

Located with Alaska National Guard

DVC 06-111B

CALL FOR FIRE TRAINER (CFFT) 1:12 CONFIGURATION



Purpose of Trainer:

The CFFT provides realistic high fidelity virtual environments and intelligent friendly, opposing and non-combatant simulated forces. The CFFT provides quality training for the Fire Support Specialist, MOS 13F, Skill Levels 10-40, and company grade Field Artillery Officers, as well as a common observed fire trainer for all Soldiers. CFFT trains soldiers how to call for fire.

Contents:

Auth Issue

1 ____ CFFT Kit

DVC#:

A06-111B

Kit Components

1 ____ Instructor Station

12 ____ Student Station

Part Numbers

L-A06-111B-1

L-A06-111B-2

Equipment Required, Not Supplied:


None

**FRA Located in TSC, Bldg 802, Door 10;
call 384-7184 to schedule.**

**FWA Located in BCTC, Bldg 3437; call
353-1421 to schedule.**

L-SIED

IED NOISE SIMULATOR KIT (12V)



Purpose of Trainer:

To provide simulated noise for infantry training.

Contents:

DVC#:

Auth Issue

1 IED Noise Sim Kit L-SIED

Kit Components

Part Number

<u>1</u>	12V Battery	L-BAT-12V
<u>1</u>	Battery Box	L-SIED-1
<u>1</u>	Wire Roll	L-SIED-2
<u>1</u>	Trigger Box	L-SIED-3
<u>1</u>	Speaker (Choose from below list)	

Speaker Types

___	Speaker Tube AT-4	L-SIED-ATUX
___	Speaker Cement Block	L-SIED-CBLK
___	Speaker 6" Pipe	L-SIED-PIP6
___	Speaker 4" Pipe	L-SIED-PIP4

Equipment Required, Not Supplied:

None.

07 SERIES

INFANTRY

DVC 07-22C

SMALL ARMS NOISE SIMULATOR KIT



Purpose of Trainer:

To provide simulated small-arms gunfire (rifle or machine gun noise and flash) for infantry combat training.

Contents:

DVC#:

Auth Issue

1 — Small Arms Noise Sim. Kit A07-22C

Kit Components

Part Number

<u>1</u> —	Noise Simulator	L-A07-22C-1
<u>1</u> —	Tripod Leg Set (2 long-1 short)	L-A07-22C-2
<u>1</u> —	Air Line (Red/Green)	L-A07-22C-3
<u>1</u> —	Oxygen Regulator Valve	L-A07-22C-4
<u>1</u> —	Propane Regulator Valve	L-A07-22C-5
<u>1</u> —	Trigger Box	L-A07-22C-6
<u>1</u> —	Battery Box	L-A07-22C-7
<u>1</u> —	Converter Box	L-A07-22C-8
<u>1</u> —	Connector Cable	L-A07-22C-9
<u>1</u> —	Tank Box	L-A07-22C-10
<u>1</u> —	Propane Tank	L-A07-22C-11
<u>1</u> —	Oxygen Tank	L-A07-22C-12

Equipment Required, Not Supplied:

Adjustable Wrench.

DVC 07-55

5.56MM CONVERSION TO .22 KIT

**Purpose of Trainer:**

Provides Soldier to employ his/her individual M16/M4 weapon at short range using low velocity .22 caliber ammunition and provide normal weapon employment cues (aiming, firing, ejection, immediate action, load, re-load, etc.).

Contents:**DVC#:**

Auth Issue

1 ___ 5.56MM Conversion Kit A07-55

Kit ComponentsPart Number

1 ___ M4/M16 .22 Converter Bolt M261
3 ___ Magazine Converter M261-1

Equipment Required, Not Supplied:

Weapon, .22 Caliber AMMO

DVC 07-59

M2 MACHINE GUN BLANK FIRING ATTACHMENT (BFA)



Purpose of Trainer:

The device permits firing of linked blank .50 caliber ammunition with the M2 machine gun. It will function as the weapon effect signature simulator for the M2 machine gun in engagement simulation systems such as the Multiple Integrated Laser Engagement System (MILES).

Contents:

DVC#:

Auth Issue

1 ___ BFA Kit

A07-59

Kit Components

Part Numbers

<u>1</u> ___	Pin Retaining	9329576
<u>1</u> ___	10" Wire Rope	9328594-2
<u>1</u> ___	13" Wire Rope	9328594-1
<u>2</u> ___	Screw	MS21318-41
<u>1</u> ___	Guide Assembly Cartridge	9326868
<u>3</u> ___	Hex Nut Plain	MS9882-14
<u>3</u> ___	Hex Nut Plain	MS35650-3392
<u>3</u> ___	Hex Nut Plain	9328593
<u>3</u> ___	Lock Washer	MS35333-78
<u>1</u> ___	Chamber	9326857
<u>3</u> ___	Threaded Rod	9327080
<u>3</u> ___	Retaining Ring	MS16633-1021
<u>3</u> ___	Support Clamp Assembly	9326860
<u>1</u> ___	Support	9327085

Equipment Required, Not Supplied:

Weapon, AMMO

DVC 07-65-7

AD M74 STINGER



Purpose of Trainer:

Contents:

Auth Issue

1 ___ M74 Stinger Kit

DVC#:

A07-65-7

Kit Components

Part Number

1 ___
1 ___
1 ___
1 ___

Equipment Required, Not Supplied:

None

DVC 07-65-8

HELLFIRE GROUND SUPPORT SYSTEM (HGSS) MILES KIT



Purpose of Trainer:

The AGES II/CTS-IS is the Army's Multiple Integrated Laser Engagement (MILES) training system for helicopters, putting aviation in the force-on-force fight. The HGSS permits realistic combat training. Detection systems are mounted to sense opposing fire and determine whether a near-miss, hit but not killed or kill message has been received. The systems activate audio and visual cues indicating the presence and effect of opposing fire.

Contents:

Auth Issue

1 ____ HGSS Kit

DVC#:

A07-65-8

Kit Components


<u>1</u> ____	HGSS	<u>Part Number</u>	12564996-1
<u>1</u> ____	6A3W3 Cable		12574766
<u>1</u> ____	6A3W2 Cable		12574767
<u>1</u> ____	6A3W1 Cable		12574768
<u>1</u> ____	Operator Manual		TM9-1270-229-10
<u>1</u> ____	Transit Case		L-A07-65-8TRAN

Equipment Required, Not Supplied:

None

DVC 07-65-11

UH-60A/ BLACK HAWK HELICOPTER MILES KIT



Purpose of Trainer:

The AGES II/CTS-IS is the Army's Multiple Integrated Laser Engagement (MILES) training system for helicopters, putting aviation in the force-on-force fight. The UH-60 permits realistic combat training. Detection systems are mounted to sense opposing fire and determine whether a near-miss, hit but not killed or kill message has been received. The systems activate audio and visual cues indicating the presence and effect of opposing fire.

Contents:

Auth Issue

1 ____ UH-60A Miles Kit

DVC#:

A07-65-11

Kit Components

MUL ____ See Manual Parts List

Part Number

TM9-1270-227-10-HR

Equipment Required, Not Supplied:

None

DVC A07-78A

TOW ITAS FIELD TACTICAL TRAINER (FTT)



Purpose of Trainer:

The TOW ITAS FTT is used to teach precision gunnery skills to TOW 2 gunners in the field. This training can occur on designated ranges, general outdoor areas, or representative tactical environments. The TOW ITAS FTT can be used for both initial gunner familiarization in an outdoor environment as well as for gunner skill enhancement and progression

Contents:

DVC#:

Auth Issue

1 TOW FTT Kit

A07-78A

Kit Components

Part Number

<u>1</u> <u> </u>	Training Missile Tube	1404AE1102-002
<u>1</u> <u> </u>	Battery Tube	1404AB1025
<u>1</u> <u> </u>	Bore Sight Stow Bag	1404DA1037-001
<u>1</u> <u> </u>	Bore Sight Assembly	1404AB1001-002
<u>1</u> <u> </u>	Key Clamp Assembly	1404CA1001
<u>1</u> <u> </u>	W1 Cable Assembly	1404CA2001
<u>1</u> <u> </u>	W2Cable Assembly	1404CA2002
<u>1</u> <u> </u>	W3 Cable Assembly	1404CA2003
<u>1</u> <u> </u>	Battery Charger	1404AE1110
<u>1</u> <u> </u>	Battery power Adapter	1404AE2001
<u>1</u> <u> </u>	Transit Case 1 of 2 (tubes)	1336504-001
<u>1</u> <u> </u>	Transit Case 2 of 2 (sight)	1404DA1009-001

Equipment Required, Not Supplied:

None.

DVC 07-78B

TOW ITAS BASIC SKILLS TRAINER (BST)



Purpose of Trainer:

The TOW BST is used to teach precision gunnery skills to TOW 2 gunners in the field. This training can occur on designated ranges, general outdoor areas, or representative tactical environments. The TOW BST can be used for both initial gunner familiarization in an outdoor environment as well as for gunner skill enhancement and progression

Contents:

DVC#:

Auth Issue

1 TOW ITAS BST Kit

A07-78B

Kit Components

Part Number

1 Instructor PC w/ Chord

L-07-78B-1

1 Simulated TAS

L-07-78B-2

1 Simulated FCS

L-07-78B-3

1 BST Cable

L-07-78B-4

1 Operators Manual

L-07-78B-5

1 Instructors Manual

L-07-78B-6

1 Surge Protector

L-07-78B-7

1 TOW BST Transit Case


L-07-78B-8

Equipment Required, Not Supplied:

None.

DVC-T 07-83

M16A1 PLASTIC RIFLE

**Purpose of Trainer:**

This device can be used for drill and ceremony, instruction, physical training, and demonstrations.

Contents:**DVC#:**

Auth Issue

1 ____ M16A1 Rifle


T07-83

Equipment Required, Not Supplied:

None

DVCT 07-083B

M16A2 PLASTIC RIFLE

**Purpose of Trainer:**

This device can be used for drill and ceremony, instruction, physical training, and demonstrations.

Contents:**DVC#:**

Auth Issue

1 ____ M16A2 Rifle


T07-083B

Equipment Required, Not Supplied:

None

DVC-T 07-084B-L

M16A2 SIGHTING DEVICES (LEFT)



Purpose of Trainer:

This device allows coaches to insure that soldiers are aiming correctly at the targets.

Contents:

DVC#:

Auth Issue

1 ____ M16A2 Sight Device Left


T07-084B-L

Equipment Required, Not Supplied:

Weapon, Target

DVC-T 07-084B-R

M16A2 SIGHTING DEVICES (RIGHT)



Purpose of Trainer:

This device allows coaches to insure that soldiers are aiming correctly at the targets.

Contents:

DVC#:

Auth Issue


1 ____ M16A2 Sight Device Right T07-084B-R

Equipment Required, Not Supplied:

Weapon, Target

DVC-T 07-086

TARGET BOX PADDLE



Purpose of Trainer:

Practice with this device insures that soldiers can find the same aiming point each time they fire.

Contents:

DVC#:

Auth Issue

1 ____ Target Box Paddle

T07-086

Equipment Required, Not Supplied:

M16A2/M4, Target, Shadow Box

DVC-T 07-087

RIDDLE SIGHTING DEVICE



Purpose of Trainer:

The device is used to insure that soldiers can obtain a correct sight picture with their own weapons. The device is attached to the front sight post and then moved until the soldier obtains the correct sight picture.

Contents:

DVC#:

Auth Issue

1 ____ Riddle Sight Device T07-087

Equipment Required, Not Supplied:

M16A2/M4

AE07-87

LMTS, BEAMHIT, SNIPER KIT



Purpose of Trainer:

The STS incorporates a ballistics program that adjusts the point of impact for each weapon and ammunition combination based upon real-world variables such as wind, slope, altitude, and weather conditions. Instructors enter ballistic variables into the scenarios to challenge the shooter to make necessary sight adjustments to achieve a target hit. Targets are properly scaled for range estimation at clearly specified training distances.

Contents:

DVC#:

Auth Issue

1 BEAMHIT Sniper Kit

AE07-86

Kit Components

Part Number

<u>1</u> <u> </u> Power Cord	MD1026
<u>1</u> <u> </u> M25 STS Cable	MD1041
<u>1</u> <u> </u> MP-400 STS Laser	MD2008
<u>1</u> <u> </u> STS Bracket	MD2531
<u>1</u> <u> </u> Operator Manual	MD4518
<u>1</u> <u> </u> Laptop Computer	MD3601
<u>1</u> <u> </u> Software CD	MD3602
<u>1</u> <u> </u> Camera	MD3650
<u>1</u> <u> </u> Camera Case	MD3651
<u>1</u> <u> </u> Lens Filter	MD3653
<u>1</u> <u> </u> Sun Shade	MD3586
<u>1</u> <u> </u> Gear Head #1	MD3656
<u>1</u> <u> </u> USB R Internal	MD3663
<u>1</u> <u> </u> USB L External	MD3664
<u>1</u> <u> </u> Magnet Set	MD3665
<u>1</u> <u> </u> Target Set	MD3666
<u>1</u> <u> </u> Transit Case	MD1519

Equipment Required, Not Supplied:
None

DVC-T 07—093

JAVELIN MISSILE SIMULATOR ROUND (MSR)



Purpose of Trainer:

The Javelin MSR will be used to train the soldier in the handling and transportation of the round and the assembly and disassembly procedures with a CLU.

Contents:

DVC#:

Auth Issue

1 — Javelin Dummy

T07-093

Equipment Required, Not Supplied:

Javelin CLU

DVC-T 07-094

JAVELIN BORESITE ALIGNMENT DEVICE



Purpose of Trainer:

The Javelin Boresite Alignment Device is utilized with the SAAF to zero in the Javelin for MILES training.

Contents:

DVC#:

Auth Issue

1 Javelin Alignment Kit T07-094

Kit Components

Part Number

<u>1</u> <u> </u>	Laser Attenuator	136039
<u>1</u> <u> </u>	Wire Rope	136038
<u>1</u> <u> </u>	Electronics Module	136037
<u>1</u> <u> </u>	Operators Manual	136036
<u>1</u> <u> </u>	Mounting Bracket	136035
<u>1</u> <u> </u>	Transit Case	136034

Equipment Required, Not Supplied:

Javelin FTT, CLU, SAAF

DVC-T 07-096

CARBINE, M4, PLASTIC



Purpose of Trainer:

This device can be used for drill and ceremony, instruction, physical training, and demonstrations.

Contents:

DVC#:

Auth Issue

1 ___ M4 Carbine Rifle

T07-096

Equipment Required, Not Supplied:

None

DVC-T 07-099

M9 PISTOL, PLASTIC



Purpose of Trainer:

This device can be used for drill and ceremony, instruction, physical training, and demonstrations.

Contents:

DVC#:

Auth Issue

1 ____ M9 Pistol

T07-099

Equipment Required, Not Supplied:

None

DVC-D 07-105

RIFLE REST/TARGET BOX KIT (SHADOW BOX)

**Purpose of Trainer:**

This device is used for BRM training.

Contents:**DVC #:**

Auth Issue

1 ___ Shadow Box Kit T07-105

	<u>Kit Components</u>	<u>Part Number</u>
--	-----------------------	--------------------

<u>1</u>	___ Rifle Rest	AE07-03
----------	----------------	---------

<u>1</u>	___ Target Box	A201-1000-DIX
----------	----------------	---------------

Equipment Required, Not Supplied:

Weapon, Target Box Paddle, Sight Device, Riddle Sight Device

DVC-T 07-109

M2 OVERSIZED LENSATIC COMPASS



Purpose of Trainer:

The oversized device is used to insure that soldiers can obtain a correct azimuth and a working knowledge of the M2 Lensatic Magnetic Compass.

Contents:

DVC#:

Auth Issue

1 ____ M2 Lensatic Compass T07-109

Equipment Required, Not Supplied:

None.

L-A07-110

OVERSIZED M4/M16 FRINT & REAR SIGHTS KIT, WOOD



Purpose of Trainer:

The oversized device is used to insure that soldiers have a working knowledge of the M4/M16A1/M16A2 sighting system mockup.

Contents:

DVC#:

Auth Issue

1 ___ Oversized Sight Kit

L-T-07-110

Kit Components

Part Number

1 ___ Front Sight

L-A07-110-1

1 ___ Rear Sight

L-A07-110-2

1 ___ Display Board

L-A07-110-3

Equipment Required, Not Supplied:

None.

L-A07-111

OVERSIZED M203 GRENADE LAUNCHER, WOOD



Purpose of Trainer:

The oversized device is used to insure that soldiers have a working knowledge of the M203 Grenade Launcher sighting system mockup.

Contents:

DVC#:

Auth Issue

1 ___ Oversized M203 Sight L-T-07-111

Equipment Required, Not Supplied:

None.

DVC 07-126

JAVELIN BASIC SKILLS TRAINER KIT



Purpose of Trainer:

The BST is a three-dimensional training device used to train students and qualify gunners on the Javelin weapon system. The BST is a self-contained, computer-based, indoor training computer (PC) that is equipped with special hardware and software. The major components of the BST are the Student Station and the Instructor Station.

Contents:

DVC#:

Auth Issue

1 ___ Javelin BST Kit

A07-126

<u>Kit Components</u>		<u>Part Number</u>
<u>1</u> ___	Missile Interface Catch	13305546-009
<u>1</u> ___	CLU Eyecup Assembly	13307195-039
<u>1</u> ___	Top Eye Absorber	13311276-001
<u>1</u> ___	Right Eye Absorber	13311277-001
<u>1</u> ___	Battery Box Absorber Kit	13311278-009
<u>1</u> ___	Battery Box Absorber Cover	13311279-009
<u>1</u> ___	Cable Assembly	13311290-029
<u>1</u> ___	IS/SS Interconnect Cable	13311300-009
<u>1</u> ___	SCLU Eyepiece Assembly	13311311-009
<u>1</u> ___	Mini SCLU Display System	13311312-009
<u>1</u> ___	Right Handgrip Assembly	13312718-039
<u>1</u> ___	Left Handgrip Assembly	13312725-039
<u>1</u> ___	Lower Cross Bar Assembly	13312767-009
<u>1</u> ___	Power Knob (Machined)	13312789-001
<u>1</u> ___	Computer Key Board	124838-101
<u>1</u> ___	Computer Mouse	MS-PS2-MOUSE
<u>1</u> ___	Transit Case Instructor	13311273-003
<u>1</u> ___	Transit Case Student	13311274-001

Equipment Required, Not Supplied:

None

DVC 07-127

JAVELIN FIELD TACTICAL TRAINER (FTT) STUDENT STATION (SS)



Purpose of Trainer:

The FTT Student Station (SS) provides visual, aural, and physical cues associated with the Javelin Missile when engaging targets. Visual cues provided by the FTT include Seeker imagery with the appropriate track gates and crosshairs. Aural cues include a simulation of launch signature effects of the Javelin Missile. Weight of the SR, when connected to the CLU; provide the simulation of the Javelin Missile.

Contents:

DVC#:

Auth Issue

<u>1</u>	___	Javelin FTT SS Kit	A07-127
		<u>Kit Components</u>	<u>Part Number</u>
<u>1</u>	___	Clear Lens Cover	4342
<u>1</u>	___	Fuse	600374
<u>1</u>	___	Fuse Holder	710068
<u>1</u>	___	Weapon Key	11749094-1
<u>1</u>	___	Key Controller	11749094-3
<u>1</u>	___	Shoulder Strap Assembly	13303207-039
<u>1</u>	___	Slide Adjuster	13303244-001
<u>1</u>	___	W1 SS CLU Cable	13496965-019
<u>1</u>	___	W4 AFT Cable Assembly	13496949-049
<u>1</u>	___	W7 FWD Electronics Assy.	13496899-019
<u>1</u>	___	W10 CLU Cable Assembly	13496932-049
<u>1</u>	___	W18 MILES Record Cable	13310308-019
<u>1</u>	___	W26 Battery Charger Cable	13309747-009
<u>1</u>	___	W27 Battery Charger Cable	13309748-009
<u>1</u>	___	W28 Battery Charger Cable	13310328-019
<u>1</u>	___	W29 FNC Battery Cable	13497168-059
<u>1</u>	___	Flash Effect Board Assy.	13310313-019
<u>1</u>	___	CCA Voltage Regulator	13496864-009

<u>1</u>	___	FWD End Cap Assembly	13497048-009
<u>1</u>	___	AFT End Cap Assembly	13496868-009
<u>1</u>	___	FTT ALES Assembly	13496885-039
<u>1</u>	___	CCA Host Processor	13496920-009
<u>1</u>	___	CCA Tracker Processor	13496924-019
<u>1</u>	___	CLU Interface CCA	13496928-009
<u>1</u>	___	Control Panel Assembly	13496944-049
<u>1</u>	___	Simulated BCU Assembly	13496950-019
		<u>Kit Components</u>	<u>Part Number</u>
<u>1</u>	___	CLU Latch Assembly	13496956-029
<u>1</u>	___	ALES Circuit Card Assy.	13497094-009
<u>1</u>	___	FNC Battery System Assy.	13497120-009
<u>1</u>	___	FNC Battery Charger	13497166-059
<u>1</u>	___	Strap Handle	301BC513-2
<u>1</u>	___	Bracket Handle Hold Down	301BC514-2
<u>1</u>	___	Back Connector Cover	D38999/33W21R
<u>1</u>	___	HD Socket Crew Cap	MS16997-10
<u>1</u>	___	Front Dust Cover	PW81-G14-A602
<u>1</u>	___	FTT Transit Case	13497079-003

Equipment Required, Not Supplied:

Javelin Command Launch Unit, Javelin Instructor Station

DVC 07-128

JAVELIN FIELD TACTICAL TRAINER (FTT) INSTRUCTOR STATION (IS)



Purpose of Trainer:

Purpose of Trainer: The FTT Instructor station (IS) is used in conjunction with the FTT Student Station to monitor gunner performance. The visual display presented on the CLU display, as well as a simulation of the CLU status symbols, is presented to the instructor on the IS VCR. Displays presented on the IS monitor may be recorded, on videotape by the IS VCR. Playback of the training exercises can be accomplished on the IS monitor or any compatible VCR and monitor. It also has a backpack for field use.

Contents:

DVC#:

Auth Issue

1 ___ FTT IS Kit

A07-128

Kit Components

Part Number

<u>1</u> ___	W2 IS/SS Cable	13309761-019
<u>1</u> ___	W3 HHU Backpack Cable	13309881-009
<u>1</u> ___	W6 Backpack Cable	13497051-009
<u>1</u> ___	W12 FNC Battery Cable	13496972-019
<u>1</u> ___	FTT Backpack	13496977-039
<u>1</u> ___	HHU Case	13496978-019
<u>1</u> ___	Electronic Reformatter	13496987-029
<u>1</u> ___	IS Backpack	13496995-001
<u>1</u> ___	Bottom Cushion	13497023-001
<u>1</u> ___	Top Reformatter Foam	13497024-001
<u>1</u> ___	Top/Bottom Cushion	13497025-001
<u>1</u> ___	CCA Voltage Regulator	13496864-029
<u>1</u> ___	CCA Video Conversion Unit	13497083-029
<u>1</u> ___	FNC Battery System	13497120-009
<u>1</u> ___	HHU Monitor	GV-D800
<u>1</u> ___	Javelin IS Transit Case	13309762-002

Equipment Required, Not Supplied:

Javelin Command Launch Unit (CLU), Field Tactical Trainer-Student Station.

DVC 07-129

ENGAGEMENT SKILLS TRAINER (EST)



Purpose of Trainer:

The Engagement Skills Trainer (EST) is used as a unit and institutional, indoor, multipurpose, multilane, small arms, crew served and individual antitank training simulator for Marksmanship, Shoot/Don't Shoot decision training, and Unit Collective Squad Level training scenarios.

Contents:

Auth Issue

1 — EST 2000 (light) Kit

DVC#:

A07-129

Equipment Required, Not Supplied:

None.

**FRA Located in BCTC Bldg 802; call
384-6131 to schedule.**

**FWA Located in BCTC, Bldg 3437; call
353-1421 to schedule.**

DVC 07-129-2

ENGAGEMENT SKILLS TRAINER (EST) 2000 (LIGHT)



Purpose of Trainer:

The Engagement Skills Trainer (EST) is used as a unit and institutional, indoor, multipurpose, multilane, small arms, crew served and individual antitank training simulator for Marksmanship, Shoot/Don't Shoot decision training, and Unit Collective Squad Level training scenarios.

Contents:

Auth Issue

1 — EST 2000 (Light) Kit

DVC#:

A07-129-2

Equipment Required, Not Supplied:

None.

Alaska National Guard

DVC 07-130

TOW ATGM FIELD TACTICAL TRAINER (FTT)



Purpose of Trainer:

The TOW ATGM FTT is used to teach precision gunnery skills to TOW 2 gunners in the field. This training can occur on designated ranges, general outdoor areas, or representative tactical environments. The TOW ATGM FTT can be used for both initial gunner familiarization in an outdoor environment as well as for gunner skill enhancement and progression

Contents:

DVC#:

Auth Issue

1 ___ TOW ATGM FTT Kit

A07-130

Kit Components

Part Number

1 ___

Equipment Required, Not Supplied:

None.

DVC 07-131

LMTS, BEAMHIT



Purpose of Trainer:

The Laser Marksmanship Training System (LMTS) is used to simulate weapons-training events that lead to live-fire qualifications for individual and crew weapons. It is light, transportable, uses self-sustained power or power from a vehicle, and requires no fixed facilities support, it is ideal for training scenarios in the field during the day or at night. LMTS accommodates numerous weapons and calibers to include the following: M9 pistol, M16, M4 rifles, and M249, M240 and M2 machine guns.

Contents:

DVC#:

Auth Issue

1 — BEAMHIT Master Kit

A07-131

Kit Components

Part Number


<u>1</u> —	Laptop Computer	MD3600
<u>1</u> —	LMTS Training CD	MD4530
<u>1</u> —	Military Training CD	MD4501
<u>2</u> —	Reflective Target	MD3534
<u>1</u> —	CB-440 USB Control Box	MD3544
<u>1</u> —	CB-440 USB Cable	MD1042
<u>1</u> —	460 Long Cable	MD1010
<u>1</u> —	460 Daisy Chain Cable	MD1011
<u>1</u> —	Instructors Manual	MD4510
<u>2</u> —	TR-900S Target	MD3007
<u>2</u> —	110V Power Supply	MD1003
<u>2</u> —	Power Cord	MD1026
<u>2</u> —	MP400B Laser	MD2005
<u>2</u> —	5.56 Rod	MD2517
<u>2</u> —	2" Rod (.357,.38,9MM)	MD2511
<u>2</u> —	1/16" Allen Wrench	MD2511
<u>2</u> —	Overlay Target 4-Pack	MD3523
<u>1</u> —	DC/AC Inverter 12V	MD1019
<u>3</u> —	Power Strip	MD1027
<u>1</u> —	100' Extension Cord	MD1016
<u>3</u> —	50' Extension Cord	MD1018

<u>6</u>	___	25' Extension Cord	MD1017
<u>1</u>	___	Laser Alignment Device	MD2533
<u>1</u>	___	Laser Transit Case	MD1518
<u>1</u>	___	PL-10 Lubricant	MD4259
<u>1</u>	___	Transit Case	MD1512
<u>1</u>	___	Transit Case W/Computer Tray	MD1511

Equipment Required, Not Supplied: Additional Kits (DVC A07-132, AE07-84, AE07-85)

DVC 07-132

LMTS, BEAMHIT, 460



Purpose of Trainer:


The Laser Marksman Training System (LMTS) is used to simulate weapons-training events that lead to live-fire qualifications for individual and crew weapons. It is light, transportable, uses self-sustained power or power from a vehicle, and requires no fixed facilities support, it is ideal for training scenarios in the field during the day or at night. LMTS accommodates numerous weapons and calibers to include the following: M9 pistol, M16, M4 rifles, and M249, M240 and M2 machine guns.

Contents:	DVC#:
Auth Issue	
<u>1</u> <u> </u> BEAMHIT 460 Kit	A07-132
<u> </u> <u> </u> <u>Kit Components</u>	<u>Part Number</u>
<u>2</u> <u> </u> TR-900S Target	MD3007
<u>2</u> <u> </u> 110V Power Supply	MD1003
<u>2</u> <u> </u> Power Cord	MD1026
<u>2</u> <u> </u> MP400B Laser	MD2005
<u>2</u> <u> </u> 5.56 Rod	MD2517
<u>2</u> <u> </u> 2" Rod (.357,.38,9MM)	MD2511
<u>2</u> <u> </u> Overlay Target 4 Pack	MD3532
<u>2</u> <u> </u> 460 Daisy Chain	MD1011
<u>2</u> <u> </u> Reflective Target	MD3534
<u>1</u> <u> </u> Transit Case	MD1511
<u> </u> <u> </u> <u>Optional Kits</u>	<u>TS-MATS DVC#</u>
<u>1</u> <u> </u> 130 Warrior Kit	AE07-84
<u>1</u> <u> </u> Machine Gun (MG) Kit	AE07-85

Equipment Required, Not Supplied: Device A07-131

DVC 07-134

SMALL ARMS ALIGNMENT FIXTURE (SAAF)



Purpose of Trainer:

The SAAF is used for bore sight alignment of all small arm weapons, machine guns, AT-4 Legacy MILES and the MILES 2000 Javelin SATS.

Contents:

Auth Issue

- 1 ___ SAAF Kit
- 2 ___ 6V Battery

DVC#:

A07-134
L-BAT-6V-LAN

Kit Components

- 2 ___ Dry Fire Cable
- 1 ___ Rope
- 1 ___ SAAF Box

Part Number

L-A07-134-1
L-A07-134-2
L-A07-134-3

Equipment Required, Not Supplied:

None.

L-UTM-M9

M9 ULTIMATE TRAINING MUNITIONS (UTM)

**Purpose of Trainer:**

Provides Soldier to employ his/her individual M9 weapon at short range using low velocity marking ammunition and provide normal weapon employment cues (aiming, firing, ejection, immediate action, load, re-load, etc.).

Contents:**DVC#:**

Auth Issue

1 ____ M9 UTM Bolt

L-UTM-M9

Equipment Required:

UTM AMMO, Face Mask, Goggles, Eye Face Shield, Neck Protector

L-UTM-M16

M16/M4 ULTIMATE TRAINING MUNITIONS (UTM)

**Purpose of Trainer:**

Provides Soldier to employ his/her individual M16/M4 weapon at short range using low velocity marking ammunition and provide normal weapon employment cues (aiming, firing, ejection, immediate action, load, re-load, etc.).

Contents:

Auth Issue

1 ____ M16/M4 UTM Bolt

DVC#:

L-UTM-M16

Equipment Required:

UTM AMMO, Face Mask, Goggles, Eye Face Shield, Neck Protector

L-UTM-M249

M249 ULTIMATE TRAINING MUNITIONS (UTM)

**Purpose of Trainer:**

Provides Soldier to employ his/her individual M249 weapon at short range using low velocity marking ammunition and provide normal weapon employment cues (aiming, firing, ejection, immediate action, load, re-load, etc.).

Contents:**DVC#:**

Auth Issue

1 ____ M249 UTM Bolt

L-UTM-M249

Equipment Required:

UTM AMMO, Face Mask, Goggles, Eye Face Shield, Neck Protector

L-UTM-FM

FACE MASK

**Purpose of Trainer:**

Provides Soldier to employ his/her individual M16/M4 weapon at short range using low velocity marking ammunition and provide normal weapon employment cues (aiming, firing, ejection, immediate action, load, re-load, etc.).

Contents:**DVC#:**

Auth Issue

1 ___ Face Mask

L-UTM-FM

Equipment Required, Not Supplied:

None

L-UTM-FS

FACE SHIELD

**Purpose of Trainer:**

Provides Soldier facial protection when using UTM.

Contents:**DVC#:**

Auth Issue

1 ____ Face Shield

L-UTM-FS

Equipment Required, Not Supplied:

None

L-UTM-GG

BOLLE' COMMANDO GOGGLES



Purpose of Trainer:

Provides Soldier eye protection when using UTM.

Contents:

Auth Issue

DVC#:

L-UTM-TP

NECK/THROAT PROTECTOR

**Purpose of Trainer:**

Provides Soldier neck protection when using UTM.

Contents:**DVC#:**

Auth Issue

1 ____ Neck/Throat Protector


L-UTM-TP

Equipment Required, Not Supplied:

None

L-RIF-RST

MAGAZINE RIFLE REST



Purpose of Trainer:

Provide a professional stand for Military Rifles.

Contents:

Auth Issue

1 ___ Rifle Rest

DVC#:

L-RIF-RST

Equipment Required, Not Supplied:


None

08 SERIES

MEDICAL

DVC 08-01

NURSING TECHNIQUE TRAINING DOLL

**Purpose of Trainer:**

The device is intended to be used by military medical personnel at all levels of medical training and evaluation of basic nursing care. It provides trainees realistic practice in nursing care techniques and is used in evaluation of techniques such as catheterization, bladder irrigation, colonic irrigation enemas, nasal and otic douching, and hypodermic injection.

Contents:**DVC#:**

Auth Issue

1 ___ Nursing Technique Doll A08-01


Equipment Required, Not Supplied:

None

Note A08-01 and A08-05A are the same

DVC 08-01A

NURSING TECHNIQUE TRAINING DOLL KIT



Purpose of Trainer:

The device is intended to be used by military medical personnel at all levels of medical training and evaluation of basic nursing care. It provides trainees realistic practice in nursing care techniques and is used in evaluation of techniques such as catheterization, bladder irrigation, colonic irrigation enemas, nasal and otic douching and hypodermic injection.

Contents:

Auth Issue

1 ___ Nursing Tech Doll Kit

DVC#:

A08-01A

Kit Components

___ ___ Torso
___ ___ RT Leg
___ ___ LT Leg
___ ___ RT Arm
___ ___ RT Arm
___ ___ RT Arm
___ ___ LT Arm

Part Number

Equipment Required, Not Supplied:

None

DVC 08-05A

INTRAVENOUS THERAPY TRAINER

**Purpose of Trainer:**

To provide realistic practice in performing intravenous injections in the antecubital area and dorsum part of the hand.

Contents:**DVC#:**

Auth Issue

1 IV Trainer Kit

A08-05-A

Kit Components**Part Number**

<u>1</u>	<u> </u>	Adult size arm and hand	L-A08-05A-1
<u>1</u>	<u> </u>	IV Transit Case	L-A08-05A-2
<u>1</u>	<u> </u>	Flex Clamp	L-A08-05A-3
<u>2</u>	<u> </u>	IV Bag	L-A08-05A-4
<u>1</u>	<u> </u>	Mixing Bottle	L-A08-05A-5
<u>1</u>	<u> </u>	Blood Mixture	L-A08-05A-6

Equipment Required, Not Supplied:

IV Needles, Alcohol Pad, Tourniquet, IV Stand

DVC 08-05B

INTRAVENOUS TRAINER ARM 120 VPS



Purpose of Trainer:

To provide realistic practice in performing intravenous injections in the antecubital area and dorsum part of the hand.

Contents:

DVC#:

Auth Issue

1 ____ IV Arm Trainer Kit A08-05-B

Kit Components

Part Number

1 ____ Adult size arm and hand L-A08-05B-1

1 ____ IV Transit Case L-A08-05B-2

Equipment Required, Not Supplied:

IV Needles, Alcohol Pad, Tourniquet, IV Stand

Note the 08-05A and 08-05B are the same

DVC 08-10

COLOSTOMY MOULAGE KIT

**Purpose of Trainer:**

The device provides materials for realistically simulating many types of wounds incurred in battle or disaster. The materials are used in training military and civilian groups in first aid to casualties

Contents:**DVC#:**

Auth Issue

1 ___ Colostomy Moulage Kit A08-11

Kit ComponentsPart Number

<u>3</u> ___	Strap on Wound	L-A08-11-1
<u>3</u> ___	Fluid Bag	L-A08-11-2
<u>3</u> ___	Attachment Hose	L-A08-11-3
<u>1</u> ___	Transit Case	L-A08-11-4

Equipment Required, Not Supplied:

None

DVC 08-11

BUTTOCKS MOULAGE KIT



Purpose of Trainer:

The device provides materials for realistically simulating many types of wounds incurred in battle or disaster. The materials are used in training military and civilian groups in first aid to casualties

Contents:

DVC#:

Auth Issue

1 ___ Buttocks Moulage Kit

A08-11

Kit Components

Part Number

1 ___ Strap on Buttocks

L-A08-11-1

1 ___ Transit Case

L-A08-11-2

Equipment Required, Not Supplied:

None

DVC 08-14

MULTIPLE CASUALTY SIMULATION KIT



Purpose of Trainer:

The device provides materials for realistically simulating many types of wounds incurred in battle or disaster. The materials are used in training military and civilian groups in first aid to casualties and to condition these groups not to be shocked at the appearance of the casualties.

Contents:

DVC#:

Auth Issue

1 ____ Casualty Simulation Kit A08-14


<u>Kit Components</u>		<u>Part Number</u>
<u>1</u> ____	Eyeball	900
<u>1</u> ____	1st, 2nd, & 3rd Degree Burn	827
<u>1</u> ____	Small Flesh Wound	824
<u>1</u> ____	Large Fracture	830
<u>1</u> ____	Small Fracture	826
<u>1</u> ____	Perforated Wound	828
<u>1</u> ____	Bladder Wound	7
<u>1</u> ____	Jaw Wound	6710
<u>1</u> ____	Chest Wound	6726
<u>1</u> ____	Open Head Wound	6727
<u>1</u> ____	Cold Cream	851
<u>1</u> ____	Cotton Balls	843
<u>1</u> ____	Glycerin	847
<u>1</u> ____	Mineral Oil	240
<u>1</u> ____	Mirror	838
<u>1</u> ____	Pallet	834
<u>1</u> ____	Petroleum Jelly	239
<u>1</u> ____	Spray Bottle	230
<u>1</u> ____	Q-tips	841
<u>1</u> ____	Scissors	836
<u>1</u> ____	Spatulas	835
<u>1</u> ____	Tape	845

<u>1</u>	___	Tongue depressors	842
<u>1</u>	___	Charcoal	854
<u>1</u>	___	Liner Red	218
<u>1</u>	___	Liner Green	237
<u>1</u>	___	Liner Blue	222
<u>1</u>	___	Liner Yellow	867
<u>1</u>	___	Simulation Wax	223
<u>1</u>	___	Plasteline Dark	855
<u>1</u>	___	Plasteline White	856
<u>3</u>	___	Blood Powder	225

Equipment Required, Not Supplied:

None

MOULAGE KIT



Contents:

Auth Issue

L-A08-14

98

<u>2</u>	___	Latex	231
<u>1</u>	___	Simulation Wax	223
<u>1</u>	___	Plasteline Dark	855
<u>1</u>	___	Plasteline White	856
<u>1</u>	___	Methyl Cellulose	228
<u>1</u>	___	Blood Powder	225
<u>2</u>	___	Coagulant Blood	226

Equipment Required, Not Supplied:

None

L-AE08-14

BABY RESUSITATION HEAD FORM KIT

**Purpose of Trainer:**

To provide a realistic human blood circulation system to be used to demonstrate and train both artificial ventilation. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions. The specific training requirements supported are shown following the descriptive data.

Contents:

Auth Issue

1 ___ Resuscitation Baby**DVC#:**

L-AE08-14

Kit Components

1 ___ Baby Head
1 ___ Lung Balloon
1 ___ Cleaning Solution
1 ___ Transit Case

Part Number

080200
080103
071400
080001

Equipment Required, Not Supplied:

None

DVC 08-16

MANIKIN, HEAD AND TORSO, CPR TRAINING (CHRIS)



Purpose of Trainer:

To provide a realistic human blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions.

Contents:

DVC#:

Auth Issue

1 ____ CPR Manikin Kit (Chris) A08-16

Kit Components

Part Number

<u>1</u> ____	Manikin Torso	AA-6001
<u>1</u> ____	Silicone Overlay Mask	AA-6060
<u>1</u> ____	Lung Bag	AA-6070
<u>1</u> ____	Chris Clean Transit Case	AA-6075

Equipment Required, Not Supplied:

None

DVC 08-18

SIMULATION INJURY MOULAGE KIT



Purpose of Trainer:

The device provides materials for realistically simulating many types of wounds incurred in battle or disaster. The materials are used in training military and civilian groups in first aid to casualties and to condition these groups not to be shocked at the appearance of the casualties.

Contents:

DVC#:

Auth Issue

1 ___ Casualty Simulation Kit

A08-18

Kit Components

Part Number

<u>2</u> ___	Eyeball	900
<u>2</u> ___	Foreign Body Protrusion	901
<u>2</u> ___	Eviscerated Intestines	902
<u>3</u> ___	Large Laceration 5 cm	903
<u>2</u> ___	Medium Laceration 3 cm	904
<u>3</u> ___	Small laceration 1 cm	905
<u>3</u> ___	Compound Fractured Tibia	906
<u>3</u> ___	Compound Fractured Humerus	907
<u>3</u> ___	Compound Fractured Femur	908
<u>3</u> ___	Small Sepsis Wound	909
<u>3</u> ___	Large Sepsis Wound	910
<u>2</u> ___	Crushed Foot	913
<u>3</u> ___	1st, 2nd, & 3rd Degree Burn	827
<u>3</u> ___	Small Flesh Wound	824
<u>3</u> ___	Perforated Wound	828
<u>4</u> ___	Bleeding Strap On Wounds	7
<u>4</u> ___	Blood Bladder	6728
<u>1</u> ___	Impalement Lower Leg	6729
<u>1</u> ___	Crushed Foot	6730
<u>1</u> ___	Compound Fracture of Humerus	6816
<u>1</u> ___	Compound Fracture Tibia	6761
<u>2</u> ___	Body Adhesive	PP2159
<u>1</u> ___	Cold Cream	851
<u>2</u> ___	Glycerin	847

<u>1</u>	___	Mineral Oil	240
<u>1</u>	___	Mirror	838
<u>2</u>	___	Petroleum Jelly	239
<u>1</u>	___	Plexiglas Pack	230
<u>1</u>	___	Q-tips	841
<u>1</u>	___	Scissors	836
<u>6</u>	___	Sponges	241
<u>1</u>	___	Tape	845
<u>1</u>	___	Pocket Pak Tissues	844
<u>6</u>	___	Tongue depressors	842
<u>1</u>	___	Charcoal	854
<u>1</u>	___	Fake Dirt	233
<u>2</u>	___	Liner Black	236
<u>2</u>	___	Liner White	220
<u>2</u>	___	Liner Brown	221
<u>2</u>	___	Liner Red	218
<u>2</u>	___	Liner Flesh	237
<u>1</u>	___	Liner Blue	222
<u>2</u>	___	Liner Yellow	867
<u>2</u>	___	Latex	231
<u>1</u>	___	Simulation Wax	223
<u>1</u>	___	Plasteline Dark	855
<u>1</u>	___	Plasteline White	856
<u>1</u>	___	Methyl Cellulose	228
<u>1</u>	___	Blood Powder	225
<u>2</u>	___	Coagulant Blood	226

Equipment Required, Not Supplied:

None

DVC 08-20

MANIKIN, INFANT RESUSCITATE KIT



Purpose of Trainer:

To provide a realistic infant blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions.

Contents:

DVC#:

Auth Issue

1 ____ Infant Resuscitate Kit

A08-20

Kit Components

Part Number

1 ____ Infant Manikin

140100

1 ____ Signal Box

111000

1 ____ Signal Box Coupler

143101

1 ____ Air Pump

200303

1 ____ Infant Transit Case

140000

Equipment Required, Not Supplied:

None

AE08-022A

CASUALTY SIMULATION KIT (EMT)



Purpose of Trainer:

The device provides materials for realistically simulating many types of wounds incurred in battle or disaster. The materials are used in training military and civilian groups in first aid to casualties and to condition these groups not to be shocked at the appearance of the casualties.

Contents:

DVC#:

Auth Issue

1 ___ Casualty Sim EMT Kit AE08-022A

<u>Kit Components</u>	<u>Part Number</u>
<u>1</u> ___ Jaw Wound	6807
<u>1</u> ___ Abdominal Wound	6808
<u>1</u> ___ Chest Wound	6713
<u>2</u> ___ Arm Compound Fracture	6816
<u>1</u> ___ Upper Leg Compound Fracture	6819
<u>1</u> ___ Head Wound	6725
<u>1</u> ___ Leg Amputation	6760
<u>1</u> ___ Jaw Wound	6710
<u>1</u> ___ Chest Wound	6726
<u>1</u> ___ Open Head Wound	6727
<u>1</u> ___ Lower Leg Compound Fracture	6761
<u>1</u> ___ Hand Wound	6881
<u>1</u> ___ Burnt Hand	6801
<u>1</u> ___ Face Mask	6882
<u>1</u> ___ 1 ST , 2 ND , 3 RD Degree Face Burns	6828
<u>1</u> ___ 1 ST , 2 ND , 3 RD Degree Chest Burns	6724
<u>1</u> ___ 1 ST , 2 ND , 3 RD Degree Back Burns	6773
<u>1</u> ___ 1 ST , 2 ND , 3 RD Degree Hand Burns	6799
<u>1</u> ___ 1 ST , 2 ND , 3 RD Degree Arm Burns	6802
<u>36</u> ___ Stick-on Lacerations	219
<u>1</u> ___ Adhesive	PP2159
<u>2</u> ___ Simulation Wax	223

<u>3</u>	___	Blood Makeup	226
<u>5</u>	___	Blood Powder	225
<u>1</u>	___	Methyl Cellulose	228
<u>2</u>	___	Liner Brown	221
<u>2</u>	___	Liner Blue	222
<u>2</u>	___	Liner Red	218
<u>2</u>	___	Liner White	220
<u>2</u>	___	Plexiglas	230
<u>1</u>	___	Cold Cream	851
<u>2</u>	___	Spray Bottle	839
<u>1</u>	___	White Clay	851
<u>1</u>	___	Dark Clay	855
<u>6</u>	___	Tongue Depressor	842
<u>1</u>	___	Fake Dirt	233
<u>1</u>	___	Charcoal	854
<u>1</u>	___	Petroleum Jelly	239
<u>1</u>	___	Mirror	838
<u>6</u>	___	Spatulas	835

Equipment Required, Not Supplied:

None

AE08-023

165 LB MALE MANIKIN (RESCUE RANDY)



Purpose of Trainer:

To provide a realistic man used to demonstrate and train on casualty carry.

Contents:

DVC#:

Auth Issue

1 165 lb Manikin AE08-023

Equipment Required, Not Supplied:

None

L-AE08-23

55 LB MALE MANIKIN (RECUE RANDY)

**Purpose of Trainer:**

To provide a realistic man used to demonstrate and train on casualty carry, victim handling, transportation, and extrication training. These manikins can be safely used in situations too hazardous or uncomfortable for human volunteers.

Contents:**DVC#:**

Auth Issue

1 55 lb Manikin L-AE08-23

Equipment Required, Not Supplied:

None

AE08-24G

MANIKIN, BABY CPR PREMIE KIT



Purpose of Trainer:

To provide a realistic infant blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions. The specific training requirements supported are shown following the descriptive data.

Contents:

DVC#:

Auth Issue

1 ____ Premie CPR Kit

AE08-24G

Kit Components

Part Number

1 ____ Premie Manikin

2901

1 ____ Face

2068

1 ____ Infant Transit Case

140010

Equipment Required, Not Supplied:

None

AE08-24H

MANIKIN, SANITARY CPR INFANT KIT



Purpose of Trainer:

To provide a realistic infant blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions. The specific training requirements supported are shown following the descriptive data.

Contents:

DVC#:

Auth Issue

1 ___ Infant CPR Kit

AE08-24H

Kit Components

Part Number

1 ___ Infant Manikin

144100

1 ___ Air Pump

143400

1 ___ Infant Transit Case

140010

Equipment Required, Not Supplied:

None

AE08-26

MANIKIN, CHILD HEAD AND TORSO, CPR TRAINING (AJ/TIMMY)



Purpose of Trainer:

To provide a realistic human blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions. The specific training requirements supported are shown following the descriptive data.

Contents:	DVC#:
Auth Issue	
<u>1</u> ___ CPR Child Manikin Kit	AE08-26
<u>1</u> ___ <u>Kit Components</u>	<u>Part Number</u>
<u>1</u> ___ Manikin Torso	AA-2200
<u>1</u> ___ Silicone Overlay Mask	AA-6060
<u>1</u> ___ Lung Bag	AA-6070
<u>1</u> ___ AJ Transit Case	AA-6075

Equipment Required, Not Supplied:

None

L-AE08-26

MANIKIN, ADOLESCENT HEAD AND TORSO, CPR TRAINING (ADAM)

**Purpose of Trainer:**

To provide a realistic human blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions. The specific training requirements supported are shown following the descriptive data.

Contents:**DVC#:**

Auth Issue

1 ___ CPR Adolescent Kit

L-AE08-26

Kit ComponentsPart Number1 ___ Manikin Torso

2026

1 ___ Silicone Overlay Mask

2023

1 ___ Lung Bag

2022

1 ___ Adam Transit Case

2021

Equipment Required, Not Supplied:

None

AE08-32

MANIKIN, HEAD AND TORSO, CPR TRAINING (ANNIE)



Purpose of Trainer:

To provide a realistic human blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions. The specific training requirements supported are shown following the descriptive data.

Contents:

DVC#:

Auth Issue

1 ___ CPR Manikin Kit (Annie) AE08-32

Kit Components

Part Number


<u>1</u> ___	Manikin Torso	150601
<u>1</u> ___	Silicone Overlay Face Mask	152004
<u>1</u> ___	Silicone Hair	152001
<u>1</u> ___	Annie Transit Case	110100

Equipment Required, Not Supplied:

None

DVC 08-36

NERVE AGENT ANTIDOTE, MARK I, TYPE 1 TRAINING KIT



Purpose of Trainer:

This nerve agent antidote autoinjector training kit is for training individuals in the proper administration of Antidote for Chemical Nerve Agent poisoning without using real injectors

Contents:

DVC#:

Auth Issue

1 ___ Nerve Agent Kit

A08-36

Kit Components

Part Number

1 ___ 2 PAM Chloride Injection

6910-01-194-2227

1 ___ Atropine Injection

6910-01-194-0378

1 ___ Clip, MARK I,

6530-01-141-7458

1 ___ Cap


L-A08-36-1

Equipment Required, Not Supplied:

None

DVC 08-37

CONVULSANT NERVE AGENT TRAINING KIT



Purpose of Trainer:

To aid in the training of individuals for the proper administration of Convulsant Antidote for Nerve Agent (CANA) without the use of the actual injectors.

Contents:

DVC#:

Auth Issue

1 ___ Nerve Agent Kit

A08-37

Kit Components

Part Number

1 ___ CANA Auto-injector

6505-01-274-0951

1 ___ CANA Re-cocking Tool

A08-37A

Equipment Required, Not Supplied:

None

AE08-37

MEDICAL SIMMAN, MANIKIN SYSTEM



Purpose of Trainer:

To provide a realistic human blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions. The specific training requirements supported are shown following the descriptive data.

Contents:

DVC#:

Auth Issue

1 ____ SIMMAN Manikin Kit

AE08-37

Kit Components

Part Number

1 ____ Manikin

211-00050

1 ____ Laptop

280-00201

1 ____ Transit Case

381655

Equipment Required, Not Supplied:

None

AO8-49

MANIKIN, RESUSCI, CPR TRAINING (JUNIOR)



Purpose of Trainer:

To provide a realistic human blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions.

Contents:

DVC#:

Auth Issue

1 ___ CPR Manikin Kit (Chris) A08-49

Kit Components

Part Number


<u>1</u> ___	Manikin Torso	183400
<u>1</u> ___	Manikin Head	183000
<u>1</u> ___	Leg Fastening Pin	183601
<u>1</u> ___	Left Leg	181904
<u>1</u> ___	Right Leg	181905
<u>1</u> ___	Pulse Pump	230303
<u>1</u> ___	Junior Transit Case	180001

Equipment Required, Not Supplied:

None

DVC 08-52

CRITICAL AIRWAY MANAGEMENT KIT



Purpose of Trainer:

To provide a realistic human blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions.

Contents:

DVC#:

Auth Issue

1 ___ Critical Airway Kit A08-52

Kit Components

Part Number

<u>1</u> ___	Head Skin w/ Airway	252000
<u>1</u> ___	Teeth Ridges & Audio	252010
<u>1</u> ___	Larynx Complete	252100
<u>1</u> ___	Lower Jaw	252300
<u>1</u> ___	Right Lung	250600
<u>1</u> ___	Left Lung	251400
<u>1</u> ___	Stomach	251100
<u>1</u> ___	Airway Demo Model	252500
<u>1</u> ___	Cleaning Kit	252600
<u>1</u> ___	Disinfectant Spray	L-252610
<u>1</u> ___	Syringe	L-252620
<u>1</u> ___	Syringe Tube	L-252640
<u>1</u> ___	Cleaning Tub/Container	L-252630
<u>2</u> ___	Cleaning Solution	L-252650
<u>1</u> ___	Airway Transit Case	042000

Equipment Required, Not Supplied:

None

A08-SIMMAN

SIMMAN TORSO SYSTEM



Purpose of Trainer:

To provide a realistic human blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions. The device is portable and can be used for indoor as well as out-of-doors demonstrations. It can be used in medical classes, also for basic first aid instructions. The specific training requirements supported are shown following the descriptive data.

Contents:		DVC#:
Auth Issue		
<u>1</u>	___ SIMMAN Torso Kit	A08-SIMMAN
<u>Kit Components</u>		<u>Part-Number</u>
<u>1</u>	___ Manikin	L-SIMMAN-1
<u>1</u>	___ Laptop	280-00201
<u>1</u>	___ Transit Case	L-SIMMAN-2

Equipment Required, Not Supplied:

None

L-GSA-TF-005

TRAUMA/DISASTER CASUALTY KIT

Purpose of Trainer:

Contents:

Auth Issue

1 ___ Trauma Casualty Kit

DVC#:

L-GSA-TF-005

Kit Components

Part Number

Equipment Required, Not Supplied:


None

09 SERIES

ORDNANCE

DVC 09-19

2:1 SCALE, 5.56MM RIFLE TRAINING AID, M16A1



Purpose of Trainer:

For classroom use to aid instruction in the operation, assembly, and disassembly of the Rifle, M16A2, 5.56mm, and to assist in the teaching of parts recognition and nomenclature. The specific training requirements supported are shown following the descriptive data.

Contents:

DVC#:

Auth Issue

1 ___ 2:1 Sale M16A1

A09-19

Equipment Required, Not Supplied:

None

DVC 09-20

2:1 SCALE, 5.56MM RIFLE TRAINING AID, M16A2



Purpose of Trainer:

For classroom use to aid instruction in the operation, assembly, and disassembly of the Rifle, M16A2, 5.56mm, and to assist in the teaching of parts recognition and nomenclature. The specific training requirements supported are shown following the descriptive data.

Contents:

Auth Issue

1 ____ 2:1 Sale M16A2

DVC#:

A09-20

Equipment Required, Not Supplied:

None

AE 09-34

81MM MORTAR DUMMY ROUND

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class. The round will train the soldier in ammunition identification and handling of the service round in a manner to stress safety and to avoid damage to service projectiles.

Contents:**DVC#:**

Auth Issue

1 81MM Mortar Dummy AE09-34

Equipment Required, Not Supplied:

None

AE09-36

M911A1 PISTOL, PLASTIC



Purpose of Trainer:

This device can be used for drill and ceremony, instruction, physical training, and demonstrations.

Contents:

DVC#:

Auth Issue

1 M911 Pistol

AE09-36

Equipment Required, Not Supplied:

None

UNEXPLODED ORDNANCE (UXO) TRAINING AIDS



Purpose of Trainer:

These items are divided into one of the four types: Dropped, Projected, Thrown and Placed. They are designed to be used for classroom and outdoor instruction for UXO training. The items will be issued separately. This is not designed to be issued as a "kit".

Contents:


DVC#:

OF-23, 180MM HE RAP Projectile	T09-047
PG7M Projectile, Grenade	T09-048-2
M57 HE Rifle Grenade w/fuze	T09-061
AO 50-100 Bomb	T09-070
AO1 Bomblet w/fuze AM-A	T09-071
ADVM Bomb Fuze	T09-74
L90 Bar Mine	T09-084-1
RAAM Landmine	T09-084-4
GATOR Landmine	T09-084-5
HEAT Grenade	T09-085
POMZ-2M AP Landmine	T09-086
AZ-58K-100 W/C Grenade	T09-090
S3K 132MM Rocket	T09-096
HOSAM TYPE 1 Grenade	T09-097
VC 2.2 Landmine	T09-105-4
HTC Landmine	T09-105-5
VALNARA Landmine	T09-105-6
APVS-SO Landmine	T09-105-7
ADAM Landmine	T09-105-10
S5K 57MM HEAT Rocket Warhead	T09-107
TM 46 Landmine	T09-108
Italian Hand Grenade	T09-109
57MM Silent Mortar Rifle Grenade	T09-110
SR 57MM Rocket	T09-112
BK-354M 76MM HEAT Projectile	T09-114
M720 60MM Mortar	T09-121
OG7 Grenade	T09-126-1
BLU-97B Submunition	T09-127-3
MK 118 Submunition	T09-127-4
M74 Submunition	T09-127-5
M118 Submunition	T09-127-6

Equipment Required, Not Supplied: None

DVC-T 09-40

BOMB, HE, FRAG, MODEL OFAB

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

Auth Issue

1 ____ OFAB HE Frag Bomb

DVC#:

T09-040

Equipment Required, Not Supplied:

None

Equipment Required, Not Supplied:

None

DVC-T 09-041

BOMB, INCENDIARY, ZAB, 2.5



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ 2.5 ZAB Incendiary Bomb

T09-041

Equipment Required, Not Supplied:

None

DVC-T 09-042

BOMB, PTAB 2.5 W/FUZE



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

Auth Issue

1 ____ PTAB 2.5 Bomb w/fuze

DVC#:

T09-042

Equipment Required, Not Supplied:

None

DVC-T 09-047

PROJECTILE, HE, RAP, OF-23, 180MM



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

Auth Issue

1 ____ OF-23, 180MM HE RAP Projectile

DVC#:

T09-047

Equipment Required, Not Supplied:

None

DVC-T 09-048-2

PROJECTILE, GRENADE, PG7M

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue

1 ____ PG7M Projectile, Grenade

T09-048-2

Equipment Required, Not Supplied:

None

DVC-T 09-061

GRENADE, RIFLE, HEAT, M57 W/FUZE UTI M61

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue

1 ____ M57 HE Rifle Grenade w/fuze UTI M61

T09-061

Equipment Required, Not Supplied:

None

DVC-T 09-070

BOMB, AO 50-100



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ AO 50-100 Bomb

T09-070

Equipment Required, Not Supplied:

None

DVC-T 09-071

BOMBLET, AO1, W/ FUZE AM-A



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ AO1 Bomblet w/fuze AM-A T09-071

Equipment Required, Not Supplied:

None

DVC-T 09-074

FUZE, BOMB, ADVM (ARMED)

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue

1 ____ADVM Bomb Fuze

T09-074

Equipment Required, Not Supplied:

None

DVC-T 09-084-1

MINE, BAR, L90



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ L90 Bar Mine

T09-084-1

Equipment Required, Not Supplied:

None

DVC-T 09-084-4

LANDMINE, RAAM



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

Auth Issue

 1 RAAM Landmine

DVC#:


T09-084-4

Equipment Required, Not Supplied:

None

DVC-T -09-084-5

LANDMINE, GATOR



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ___ GATOR Landmine

T09-084-5

Equipment Required, Not Supplied:

None

DVC-T 09-085

GRENADE, HEAT

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

Auth Issue

1 ____ HEAT Grenade

DVC#:

T09-085

Equipment Required, Not Supplied:

None

DVC-T 09-086

LANDMINE AP, POMZ-2M



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ POMZ-2M AP Landmine

T09-086

Equipment Required, Not Supplied:

None

DVC-T 09-090

GRENADE, W/C, AZ-58K-100



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ AZ-58K-100 W/C Grenade

T09-090

Equipment Required, Not Supplied:

None

DVC-T 09-096

ROCKET, 132MM, MODEL S3K



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ S3K 132MM Rocket T09-096

Equipment Required, Not Supplied:

None

DVC-T 09-097

GRENADE, HAND/HEAT, HOSAM TYPE 1



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

Auth Issue

1 ____ HOSAM TYPE 1 HEAT Hand Grenade

DVC#:

T09-097

Equipment Required, Not Supplied:

None

DVC-T 09-105-4

MINE, VC 2.2



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

Auth Issue

1 ____ VC 2.2 Landmine

DVC#:


T09-105-4

Equipment Required, Not Supplied:

None

DVC-T 09-105-5

MINE, HCT



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ HTC Landmine T09-105-5

Equipment Required, Not Supplied:

None

DVC-T 09-105-6

MINE, VALNARA



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

Auth Issue

1 ____ VALNARA Landmine

DVC#:


T09-105-6

Equipment Required, Not Supplied:

None

DVC-T 09-105-7

MINE, APVS-SO (SMOOTH TOP)



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ APVS-SO Landmine

T09-105-7

Equipment Required, Not Supplied:

None

DVC-T 09-105-10

MINE, ADAM



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ ADAM Landmine

T09-105-10

Equipment Required, Not Supplied:

None

DVC-T 09-107

ROCKET, WARHEAD, 57MM, HEAT, MODEL S5K



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ S5K 57MM HEAT Rocket Warhead

T09-107

Equipment Required, Not Supplied:

None

DVC-T 09-108

LANDMINE TM 46

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue

1 ____ TM 46 Landmine

T09-108

Equipment Required, Not Supplied:

None

DVC-T 09-109

GRENADE, HAND, ITALIAN



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ Italian Hand Grenade T09-109

Equipment Required, Not Supplied:

None

DVC-T 09-110

GRENADE, RIFLE, 57MM, SILENT MORTAR

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

Auth Issue

1 ____ 57MM Silent Mortar Rifle Grenade

DVC#:

T09-110

Equipment Required, Not Supplied:

None

DVC-T 09-112

ROCKET, 57MM, (SR)

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue

1 ____ SR 57MM Rocket

T09-112

Equipment Required, Not Supplied:

None

DVC-T 09-114

PROJECTILE, 76MM, HEAT, MODEL BK-354M

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue

1 ____ BK-354M 76MM HEAT Projectile

T09-114

Equipment Required, Not Supplied:

None

L-T09-115

C4 EXPLOSIVES BLOCK (WOOD)

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue

1 ____ C4 Explosives Block L-T09-115

Equipment Required, Not Supplied:

None

L-T09-116

TNT EXPLOSIVES BLOCK (WOOD)

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue

1 ___ TNT Explosives Block L-T09-116

Equipment Required, Not Supplied:

None

DVC-T 09-121

MORTAR, 60MM, M720

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue


1 ____ M720 60MM Mortar T09-121

Equipment Required, Not Supplied:

None

DVC-T 09-126-1

GRENADE, 0G7

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue

1 ____ 0G7 Grenade

T09-126-1

Equipment Required, Not Supplied:

None

DVC-T 09-127-3

SUBMUNITION, BLU-97/B



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

Auth Issue

1 ____ BLU-97B Submunition

DVC#:

T09-127-3

Equipment Required, Not Supplied:

None

DVC-T 09-127-4

SUBMUNITION, MK 118



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue


1 ____ MK 118 Submunition T09-127-4

Equipment Required, Not Supplied:

None

DVC-T 09-127-5

SUBMUNITION, M 74



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 ____ M74 Submunition

T09-127-5

Equipment Required, Not Supplied:

None

DVC-T 09-127-6

SUBMUNITION, M118

**Purpose of Trainer:**

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:**DVC#:**

Auth Issue

1 ____ M118 Submunition

T09-127-6

Equipment Required, Not Supplied:

None

10 SERIES

QUARTERMASTER

GRAVES REGISTRATION KIT (GRREG)



The GRREG is a hands-on exportable device used to train and evaluate personnel in graves registration operations and procedures. It teaches critical tasks in MOS 57F (Graves Registration Specialist) Skill Qualification Test, Soldiers Manuals and applicable ARTEPS.

DVC#:

Auth Issue

1 _____ Graves Registration Kit

T10-20

Kit Components

Part Number


<u>1</u>	Transit Case	L-T10-020TRAN
<u>1</u>	Skeleton Chart	L-T10-020-1
<u>1</u>	Fingerprint Kit	L-T10-020-2
<u>1</u>	a. Case	L-T10-020-2A
<u>1</u>	b. Fingerprint Card	L-T10-020-2B
<u>1</u>	c. Ink pad	L-T10-020-2C
<u>1</u>	d. Card Holder	L-T10-020-2D
<u>1</u>	Compass	L-T10-020-3
<u>1</u>	Male Skeleton, Unassembled	L-T10-020-4
<u>1</u>	Dental Mirror	L-T10-020-5
<u>1</u>	Dental Material Board	L-T10-020-6
<u>2</u>	Dental Mould	L-T10-020-7
<u>1</u>	Bone Measuring Device	L-T10-020-8

Equipment Required, Not Supplied:

None

L-T10-100

FUNERAL DETAIL TRAINING KIT

**Purpose of Trainer:**

This device is used for training soldiers to perform Military Funeral Ceremony.

Contents:**DVC #:**

Auth Issue

1 ____ Funeral Detail Training Kit

L-T10-100

Kit Components**Part Number**

1 ____ Casket

L-T08-100-1

1 ____ US Flag

L-T08-100-2

1 ____ TAPS Music CD

L-T08-100-3

Equipment Required, Not Supplied:

Weapons, White Gloves

11 SERIES

SIGNAL

DVC-T 11-061

SINGARS MOCKUP



Purpose of Trainer:

This device is used in the 31U course to enable the instructor to demonstrate the switch positions of the radio while the students sit at their workstations with the actual radio.

Contents:

Auth Issue

1 — SINGARS Mockup

DVC#:

T 11-061

Equipment Required, Not Supplied:

None

DVC-11-122

CREW II



17 SERIES

ARMOR

DVC-T 17-102

ARMORED VEHICLE MODEL 1/35 SCALE KIT



Purpose of Trainer:

Contents:

DVC#:

Auth Issue

1 Armored Vehicle Model Kit T-17-102

Kit Components

Part Number

Equipment Required, Not Supplied:

None

DVC-T17-105

105MM TRAINING ROUND APFSDS, M920



Purpose of Trainer:

The round will train the soldier in ammunition identification and handling of the service round in a manner to stress safety and to avoid damage to service projectiles.

Contents:

Auth Issue

1 ____ M920 105MM APFSDS Round

DVC#:

T17-105

Equipment Required, Not Supplied:

None

DVC-T17-106

105MM TRAINING ROUND HEAT - M921

**Purpose of Trainer:**

The round will train the soldier in ammunition identification and handling of the service round in a manner to stress safety and to avoid damage to service projectiles.

Contents:**DVC#:**

Auth Issue


1 ____ M921 105MM HEAT Round T17-106

Equipment Required, Not Supplied:

None

DVC 17-146A

INDICATOR, SIMULATOR SYSTEM LASER TARGET INTERFACE DEVICE (LTID)



Purpose of Trainer:

The Laser Target Interface Device (LTID) interfaces existing live-fire tank/man target mechanisms with standard MILES transmitters enabling the transmitters to knock down targets. LTID provides realistic and valuable marksmanship training without the high cost of ammunition and target repair/replacement encountered in live-fire training programs.

Contents:

DVC#:

Auth Issue

1 LTID Kit

A17-146

Kit Components

Part Number

1 Electronics Assembly

L-A17-146-1

1 Storage Case 1

L-A17-146TRAN1

1 Storage Case 2

L-A17-146TRAN2

1 Detection Assembly

L-A17-146-3

1 SGM

L-A17-146-4

2 6 Volt Battery

L-BAT-6V

Equipment Required, Not Supplied:

Velcro, Primer/Glue, Controller Gun (CD/TD), Target Holding Mechanisms, MILES Transmitters

DVC 17-172-6

TWGSS RETRO REFLECTORS LARGE KIT

**Purpose of Trainer:**

Retro Reflectors provide feedback to main gun system upon firing.

Contents:**DVC#:**

Auth Issue

1 ___ Small Retro Reflector Kit A17-172-6

Kit Components**Part Number**

26 ___ Large Retro Reflectors 8835-035-101

1 ___ Transit Case Large L- A17-172-6TRAN

Equipment Required, Not Supplied:

MGSS KIT, STRYKER

DVC 17-172-6M

TWGSS RETRO REFLECTORS KIT, SMALL

**Purpose of Trainer:**

Retro Reflectors provide feedback to main gun system upon firing.

Contents:**DVC#:**

Auth Issue

1 ___ Small Retro Reflector Kit A17-172-6M

Kit Components**Part Number**

26 ___ Small Retro Reflectors 8834-202-102

1 ___ Transit Case Small 55311-207793-10

Equipment Required, Not Supplied:

MGSS KIT, STRYKER

DVC 17-180

MAIN GUN SIGNATURE SIMULATOR (MGSS) (MILES 2000) KIT



Purpose of Trainer:

The Purpose of this trainer is to replace Basic MILES systems at home-station due to age of technology and cost to maintain.

The MGSS is a component of the Multiple Integrated Laser Engagement System 2000 (M2K). The M2K is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The M2K system is primarily used for force-on-force training from squad up to and including Brigade level. The M2K system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises. M2K equipment is downward compatible with the Basic MILES equipment presently fielded.

Contents:

DVC #:

Auth Issue

1 ____ MGSS Kit

A17-108

Kit Components

Part Number

<u>1</u> ____	MGSS Launcher	148201-2
<u>1</u> ____	FCU Cable	149104-1-C
<u>1</u> ____	MGSS SAWE Cable	148212-1
<u>1</u> ____	Trigger Cable	146452-1
<u>1</u> ____	DC Power Cable	148765-1-C
<u>1</u> ____	DC Power Adapt Assembly	148202-1
<u>1</u> ____	MGSS Adapt Assembly	148203-1
<u>1</u> ____	Fire Control Unit	149101-2
<u>1</u> ____	Operator Manual	TD9-620-892-10
<u>1</u> ____	MGSS Transit Case	148204-1

Equipment Required, Not Supplied:

None

DVC 17-233

M113 MILES XXI, STRYKER COMMON KIT



Purpose of Trainer:

The device is a component of the Multiple Integrated Laser Engagement System (MILES). MILES XXI is a family of training systems, accurately, and in real time, simulates the effect of direct and indirect fire (artillery, nuclear, or chemical weapons, and mines) as they would affect a vehicle/soldier in combat. MILES XXI provides the capability for two-sided, real-time tactical engagement at unit sizes up to battalion and for realistic casualty assessments.

Contents:

DVC#:

Auth Issue

1 — STRYKER Common Kit

A17-233

Kit Components

Part Number

<u>1</u> —	RIA Assembly	2030754-1
<u>1</u> —	Terminator Assembly	2031030
<u>1</u> —	VCU Assembly	2030464-2
<u>1</u> —	VDA Assembly	2030753-2
<u>2</u> —	Detector Belt (4)	2031050-1
<u>2</u> —	Detector Belt (6)	2031050-2
<u>1</u> —	Front A Bracket	2031734-1
<u>1</u> —	Belt Protection Left	2031628-1
<u>1</u> —	Belt Protection Right	2031628-2
<u>1</u> —	Power Cable Assembly	2031626-3
<u>1</u> —	DIFCUE Trigger Cable	2031481-1
<u>1</u> —	Radio Interface Cable	2030485-2
<u>1</u> —	System Bus 4 Feet	2031038-4
<u>1</u> —	VCU Signal Adapter Cable	2031438-2
<u>1</u> —	Common Kit Transit Case	2030930-1

Equipment Required, Not Supplied:

Blank Ammunition, Weapon/Vehicle, Velcro, Adhesive

DVC 17-233

CONTROLLER DEVICE, CD/TD (MILES XXI)



Purpose of Trainer:

The device is a component of the Multiple Integrated Laser Engagement System (MILES). Training system accurately, and in real time, simulates the effect of direct and indirect fire (artillery, nuclear, or chemical weapons, and mines) as they would affect a vehicle/soldier in combat. This permits realistic combat training that provides the capability for two-sided, real-time tactical engagement at unit sizes up to battalion and for realistic casualty assessments. CD/TD resets and controls all MILES Equipment.

Contents:

- 1 ____ CD/TD
- 1 ____ CD/TD Transit Case (20 Count)

DVC#:

34683100-99
L-A17-238-TRAN

Equipment Required, Not Supplied:

Blank Ammunition, Weapon, MILES Torso, MILES Halo, MILES SATS

DVC 17-242

MK19 (MILES XXI) KIT



Purpose of Trainer:

The MK19 is a component of the Multiple Integrated Laser Engagement System XXI. The MILES XXI is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The system is primarily used for force-on-force training from squad up to and including Brigade level. The system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises. MILES XXI equipment is downward compatible with the M2K and Basic Miles equipment presently fielded.

Contents:

DVC #:

Auth Issue

1 MK19 Kit

A17-242

Kit Components

Part Number

1 Operator Module
1 Laser Module
1 Audio Cue Device
1 ACD Interface Bracket
1 Trigger Assembly
1 STRYKER Verification Target
1 Ground Verification Target
1 T- Handle Hex Wrench
1 MK19 transit Case

162074
162075
162928
162282
162128
162079
162079
7041A16
162077

Equipment Required, Not Supplied:

None

DVC 17-242-1

MK19 CONTROLLER GUN (MILES XXI) KIT



Purpose of Trainer:

The MK19 Smart Controller Gun is a component of the Multiple Integrated Laser Engagement System XXI. The MILES XXI is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The system is primarily used for force-on-force training from squad up to and including Brigade level. The system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises. MILES XXI equipment is downward compatible with the M2K and Basic Miles equipment presently fielded.

Contents:

DVC #:

Auth Issue

1 ___ MK19 Controller Gun Kit

A17-242-1

Kit Components

Part Number

1 ___ MK19 CD/TD

21601

1 ___ MK19 CD/TD Holster

21619-A

Equipment Required, Not Supplied:

None

DVC 17-243

ICV/CV/FSV/RV (MILES XXI) DELTA KIT



Purpose of Trainer:

The ICV/CV/FSV/RV Delta Kit is a component of the Multiple Integrated Laser Engagement System XXI. The MILES XXI is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The system is primarily used for force-on-force training from squad up to and including Brigade level. The system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises. MILES XXI equipment is downward compatible with the M2K and Basic Miles equipment presently fielded.

Contents:

DVC #:

Auth Issue

1 ___ ICV/CV/FSV/RV Delta Kit

A17-243

Kit Components

Part Number

1 ___ Remote Weapon Assembly

2031620-1

1 ___ M2 SAT (mounted)

2030680-15

2 ___ Belt Detector - 4

2031050-1

1 ___ 4' Bus Cable System

2031038-4

1 ___ 15' Bus Cable System

2031038-15

1 ___ 18' Bus Cable System

2031038-18

1 ___ RWS Interface Cable

2031625-1

1 ___ IAV-VCU Mount Assembly

2031622-1

1 ___ Rear Belt Bracket

2031623-1

1 ___ Front Belt Bracket - B

2031734-2

1 ___ Egress Adapter Cable

2031676-1

1 ___ ICV/CV/FSV/RV Transit Case

2030931-1

Equipment Required, Not Supplied:

Common Kit

DVC 17-243-1

MCV/MEV (MILES XXI) DELTA KIT



Purpose of Trainer:

The MCV/MEV Delta Kit is a component of the Multiple Integrated Laser Engagement System XXI. The MILES XXI is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The system is primarily used for force-on-force training from squad up to and including Brigade level. The system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises. MILES XXI equipment is downward compatible with the M2K and Basic Miles equipment presently fielded.

Contents:

DVC #:

Auth Issue

1 ____ MCV/MEV Delta Kit

A17-243-1

Kit Components

Part Number

1 ____ M240 SAT
1 ____ Belt Detector - 4
1 ____ Belt Detector - 4
1 ____ Detector Wedge Assembly
1 ____ 4' Bus Cable System
1 ____ 8' Bus Cable System
1 ____ 15' Bus Cable System
1 ____ 18' Bus Cable System
1 ____ MC VCU Mount Assembly
1 ____ Rear Belt Bracket
1 ____ Front Belt Bracket - A
1 ____ Egress Adapter Cable
1 ____ MCV/MEV Transit Case

2030680-10
2031050-1
2031050-14
11749329
2031038-4
2031038-8
2031038-15
2031038-18
2031635-1
2031623-1
2031734-1
2031676-1
2030932-1

Equipment Required, Not Supplied:

Common Kit

DVC 17-243-2

ESV (MILES XXI) DELTA KIT



Purpose of Trainer:

The ESV Delta Kit is a component of the Multiple Integrated Laser Engagement System XXI. The MILES XXI is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The system is primarily used for force-on-force training from squad up to and including Brigade level. The system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises. MILES XXI equipment is downward compatible with the M2K and Basic Miles equipment presently fielded.

Contents:

DVC #:

Auth Issue

1 ___ ESV Delta Kit

A17-243-2

Kit Components

Part Number

1 ___ Remote Weapon Assembly

2031620-1

1 ___ M2 SAT (mounted)

2030680-15

1 ___ Belt Detector - 4

2031050-4

1 ___ Belt Detector - 4

2031050-14

1 ___ Detector Wedge Assembly

11749329

1 ___ 8' Bus Cable System

2031038-8

1 ___ 10' Bus Cable System

2031038-10

1 ___ 18' Bus Cable System

2031038-18

1 ___ RWS Interface Cable

2031625-1

1 ___ ESV Mount Assembly

2031755-1

1 ___ Front Belt Bracket - A

2031734-1

1 ___ Front Belt Bracket - B

2031734-2

1 ___ Egress Adapter Cable

2030933-1

1 ___ ESV Transit Case

2030931-1

Equipment Required, Not Supplied:

Common Kit

DVC 17-243-3

ATGM (MILES XXI) DELTA KIT



Purpose of Trainer:

The ATGM Delta Kit is a component of the Multiple Integrated Laser Engagement System XXI. The MILES XXI is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The system is primarily used for force-on-force training from squad up to and including Brigade level. The system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises. MILES XXI equipment is downward compatible with the M2K and Basic Miles equipment presently fielded.

Contents:

Auth Issue

1 ___ ATGM Delta Kit

DVC #:

A17-243-1

Kit Components

1 ___ Remote Weapon Assembly
1 ___ M240 SAT
1 ___ Belt Detector - 4
1 ___ 4' Bus Cable System
1 ___ 8' Bus Cable System
1 ___ 15' Bus Cable System
1 ___ 18' Bus Cable System
1 ___ RWS Interface Cable
1 ___ ESV-VCU Mount Assembly
1 ___ Front Belt Bracket - B
1 ___ ATGM Rear Belt Bracket -1
1 ___ ATGM Rear Belt Bracket - 2
1 ___ Periscope Seal
1 ___ ATGM Transit Case

Part Number

2031620-1
2030680-10
2031050-1
2031038-4
2031038-8
2031038-15
2031038-18
2031625-1
2031775-1
2031734-2
203177-1
203177-2
12957813
2030934-1

Equipment Required, Not Supplied:

Common Kit

DVC 17-243-4

MGS TESS (MILES XXI) KIT



Purpose of Trainer:

The MGS TESS Kit is a component of the Multiple Integrated Laser Engagement System XXI. The MILES XXI is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The system is primarily used for force-on-force training from squad up to and including Brigade level. The system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises. MILES XXI equipment is downward compatible with the M2K and Basic Miles equipment presently fielded.

Contents:

Auth Issue

1 ___ MGS TESS Kit

DVC #:

A17-243-4

Kit Components

1 ___ TBOS Day Sight Bracket
1 ___ TBOS Aux Gunner Bracket
1 ___ Camera Crew
1 ___ MGSS Bracket
1 ___ DIFCUE Bracket
1 ___ VIIP Bracket
1 ___ Main Armament Cable Puller
1 ___ W-9 Video/Audio Cable
1 ___ W-13 TESS DIFCUE FU/FCU Cable
1 ___ W-14 TESS VIIP Cable
1 ___ W-10 INTTDIP-INTERCOM Cable
1 ___ W-6 TESS-TU Can Cable
1 ___ W-7 TDIP-DTD (DUD) Cable
1 ___ W-1 DTD-EU Gunner Day Cable
1 ___ W-2 DTD-EU Aux Cable
1 ___ W-3 TDIP Power Cable
1 ___ W-4 TDIP Ethernet Cable
1 ___ W-5 TDIP Sight Video Cable

Part Number

8877-001-201
8877-001-211
8877-001-231
8877-001-241
8877-001-251
8877-001-261
8854-162-101
8847-135-330
8847-251-330
8847-252-330
8847-136-330
8847-145-330
8847-146-330
8847-126-330
8847-127-330
8847-132-330
8847-140-330
8847-137-330

<u>1</u>	___	W-8 TDIP Can Cable	8847-147-330
<u>1</u>	___	24V/105MM Transceiver Unit	8830-010-341
<u>1</u>	___	BT24 SAT M 1200 W915 FF	8845-003-411
<u>1</u>	___	SAAD M2	8845-036-321
<u>1</u>	___	Control Panel	8848-013-101
<u>1</u>	___	TDRS Memory Card	8848-023-101
<u>1</u>	___	TDRS Memory Card Pouch	8833-461-001
<u>1</u>	___	CF 8GB Memory Card (Extreme III)	6653-505-288
<u>1</u>	___	TBOS Eyepiece Unit	8852-010-432
<u>1</u>	___	Dual TBOS Driver (DTD)	8852-014-101
<u>1</u>	___	WDU Miles	8887-010-101
<u>1</u>	___	MGS TESS Main Assembly (TMA)	8851-009-501
<u>1</u>	___	CVKI	8851-055-101
<u>1</u>	___	Miniaturized Smart Antenna (MSA)	8849-025-303
<u>1</u>	___	TDIP Cable Access Bracket	1188802
<u>1</u>	___	Armor Hatch Holder Bracket	1188803
<u>1</u>	___	WDU Front Detector Bracket	8877-001-131
<u>1</u>	___	WDU Rear Detector Bracket	8877-001-141
<u>1</u>	___	WDU Right Front Detector Bracket	8877-001-151
<u>1</u>	___	WDU Right-Left Detector Bracket	8877-001-171
<u>1</u>	___	WDU Left Front Detector Bracket	8877-001-161
<u>1</u>	___	Corner Bracket	188820
<u>1</u>	___	Retro	8835-053-103
<u>1</u>	___	MGS TESS Transit Case 1	8877-001-301
<u>1</u>	___	MGS TESS Transit Case 2	8877-001-302
<u>1</u>	___	Manual	TM9-6920-921-10

Equipment Required, Not Supplied:

None

DVC 17-244

STRYKER INST INTERFACE VIIP CAN

**Purpose of Trainer:**

Interface STRYKER camera system and MILES XXI.

Contents:**DVC#:**

Auth Issue

1 ____ STRYKER VIIP Can Kit A17-244

<u>Kit Components</u>		<u>Part Number</u>
<u>1</u> ____	VIIP Can Housing	5038-001-1100
<u>1</u> ____	PU Antenna	5038-001-1300
<u>1</u> ____	VIIP Rack Assembly	5038-001-1400
<u>1</u> ____	GPS Antenna	5038-001-1500
<u>1</u> ____	VIIP Power Cable	8877-120-101
<u>1</u> ____	GPS Antenna Cable	8877-130-101
<u>1</u> ____	VIIP Power Cable Pigtail	8877-150-101
<u>1</u> ____	MVI	8851-009-161
<u>1</u> ____	MVI – PU Cable	5041-007-1200

Equipment Required, Not Supplied:

Stryker vehicle

DVC 17-245

ATGM BASIC SKILLS TRAINER (BST)



Purpose of Trainer:

The Stryker ATGM Basic Skills Trainer (BST) reuses software developed for the Improved Target Acquisition System (ITAS) BST and is an appended training device that links to a host vehicle to provide its training capability. The device allows the ATGM gunner to progress through a series of engagements using mock controls in the rear of the vehicle. The ATGM BST is a mobile and deployable system that is used for initial and sustainment gunnery.

Contents:

DVC#:

Auth Issue

1 ____ ATGM BST Kit

A17-245

Kit Components

Part Number

1 ____ Power Surge Protector

L-A17-245-1

1 ____ Instructor Station PC

L-A17-245-2

1 ____ PC Power Cord

L-A17-245-3

1 ____ BST Interface Assembly

L-A17-245-4

1 ____ BST Cable

L-A17-245-5

1 ____ Operator Manual

SED-ATGM-OM-001

1 ____ Instructor Manual

SED-ATGM-IG-001

1 ____ Transit Case

L-A17-245-6

Equipment Required, Not Supplied:

ATGM

20 SERIES

GENERAL

DVC-D 20-31

THREAT QUIZ GAME



Purpose of Trainer:
Device is used to learn threats.

Contents:	DVC #: D20-31
Auth Issue	
<u>1</u> ___ Threat Quiz Game Kit	D20-31

<u>Kit Components</u>	<u>Part Number</u>
___ ___	

Equipment Required, Not Supplied:
None.

21 SERIES


INDIVIDUAL

23 SERIES

WEAPONS

DVC 23-03

MOTORIZED SECTIONALIZED GUN .50 CALIBER, M2 MACHINE GUN



Purpose of Trainer:

For classroom use to demonstrate the cycle of operation of the .50 Caliber M2 Machinegun.

Contents:

DVC#:

Auth Issue

1 ___ M2 Kit

A23-03

Kit Components

Part Number

1 ___ M2 Machine Gun

L-A23-03-1

1 ___ Cabinet w/ motor

L-A23-03-2

1 ___ Dummy Rounds Linked

L-A23-03-3

Equipment Required, Not Supplied:

None

DVC 23-08-1

PROTECTIVE MASK INTERFACE

Purpose of Trainer:

Contents:

DVC#:

Auth Issue

1 Protective Mask Interface A23-08-1

Kit Components

Part Number

Equipment Required, Not Supplied:

None

DVC 23-20

M4/M16A1/M16A2 MILES 2000 KIT



Purpose of Trainer:

The Purpose of this trainer is to replace Basic MILES systems at home-station due to age of technology and cost to maintain. The M2K system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises.

This device is a component of the Multiple Integrated Laser Engagement System 2000 (M2K). The M2K is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The M2K system is primarily used for force-on-force training from squad up to and including Brigade level. M2K equipment is downward compatible with the Basic MILES equipment presently fielded.

Contents:

DVC#:

Auth Issue

<u>1</u>	___	M4/M16 M2K Kit	A23-20
<u>1</u>	___	M4/M16 M2K Transit Case (24 count)	L-23-20-TRAN

Kit Components

Part Number

<u>1</u>	___	M4/M16 SAT (small arms transmitter)	148465-1
<u>1</u>	___	Torso Detector (Vest)	148245-1
<u>1</u>	___	Helmet Detector (HALO)	148246-1

Equipment Required, Not Supplied:

WEAPON, BFA, AMMO

DVC 23-22

M249 SQUAD AUTOMATIC WEAPON MILES 2000 KIT



Purpose of Trainer:

The Purpose of this trainer is to replace Basic MILES systems at home-station due to age of technology and cost to maintain. The M2K system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises.

This device is a component of the Multiple Integrated Laser Engagement System 2000 (M2K). The M2K is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The M2K system is primarily used for force-on-force training from squad up to and including Brigade level. M2K equipment is downward compatible with the Basic MILES equipment presently fielded.

Contents:

Auth Issue

- 1 ____ M249 M2K Kit
- 1 ____ Transit Case (20 count)
- 1 ____ Transit Case (24 count)

DVC#:

- A23-22
- L-23-22-TRAN1
- L-23-22-TRAN2

Kit Components

- 1 ____ M249 SAT (small arms transmitter)
- 1 ____ Torso Detector (Vest)
- 1 ____ Helmet Detector (HALO)

Part Number

- 148493-1
- 148245-1
- 148246-1

Equipment Required, Not Supplied:

WEAPON, BFA, AMMO

DVC 23-23

M24/M40 SNIPER WEAPON MILES 2000 KIT



Purpose of Trainer:

The Purpose of this trainer is to replace Basic MILES systems at home-station due to age of technology and cost to maintain. The M2K system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises.

This device is a component of the Multiple Integrated Laser Engagement System 2000 (M2K). The M2K is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The M2K system is primarily used for force-on-force training from squad up to and including Brigade level. M2K equipment is downward compatible with the Basic MILES equipment presently fielded.

Contents:

Auth Issue

- 1 ____ M24/M40 M2K Kit
- 1 ____ Transit Case (20 count)

DVC#:

A23-23
L-23-23-TRAN

Kit Components

- | <u>1</u> | <u>____</u> | <u>Kit Components</u> | <u>Part Number</u> |
|----------|-------------|--------------------------------------|--------------------|
| <u>1</u> | ____ | M24/M40 SAT (small arms transmitter) | 147636-3 |
| <u>1</u> | ____ | Torso Detector (Vest) | 148245-1 |
| <u>1</u> | ____ | Helmet Detector (HALO) | 148246-1 |

Part Number

Equipment Required, Not Supplied:

WEAPON, BFA, AMMO

DVC 23-25

M240 MACHINE GUN MILES 2000 KIT



Purpose of Trainer:

The Purpose of this trainer is to replace Basic MILES systems at home-station due to age of technology and cost to maintain. The M2K system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises.

This device is a component of the Multiple Integrated Laser Engagement System 2000 (M2K). The M2K is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The M2K system is primarily used for force-on-force training from squad up to and including Brigade level. M2K equipment is downward compatible with the Basic MILES equipment presently fielded.

Contents:

DVC#:

Auth Issue

- 1 ____ M240 M2K Kit
- 1 ____ Transit Case (24 count)

A23-25
L-23-25-TRAN

Kit Components

Part Number

- 1 ____ M240 SAT (small arms transmitter)
- 1 ____ Torso Detector (Vest)
- 1 ____ Helmet Detector (HALO)

148460-1
148245-1
148246-1

Equipment Required, Not Supplied:

WEAPON, BFA, AMMO

DVC 23-26

M2 MACHINE GUN DISMAOUNTED MILES 2000 KIT



Purpose of Trainer:

The Purpose of this trainer is to replace Basic MILES systems at home-station due to age of technology and cost to maintain. The M2K system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises.

This device is a component of the Multiple Integrated Laser Engagement System 2000 (M2K). The M2K is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The M2K system is primarily used for force-on-force training from squad up to and including Brigade level. M2K equipment is downward compatible with the Basic MILES equipment presently fielded.

Contents:

DVC#:

Auth Issue

- 1 ___ M2 M2K Kit
- 1 ___ Transit Case (14 count)

A23-26
L-23-26-TRAN

Kit Components

Part Number

- 1 ___ M2 SAT (small arms transmitter)
- 1 ___ Torso Detector (Vest)
- 1 ___ Helmet Detector (HALO)

147571-3
148245-1
148246-1

Equipment Required, Not Supplied:

WEAPON, BFA, AMMO

DVC 23-27

AT-04 MILES 2000



Purpose of Trainer:

The Purpose of this trainer is to replace Basic MILES systems at home-station due to age of technology and cost to maintain. The M2K system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises.

This device is a component of the Multiple Integrated Laser Engagement System 2000 (M2K). The M2K is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges. The M2K system is primarily used for force-on-force training from squad up to and including Brigade level. M2K equipment is downward compatible with the Basic MILES equipment presently fielded.

Contents:

- 1 ____ AT-4 SAT (small arms transmitter)
- 1 ____ Transit Case (4 Count)

DVC#:

A23-27
L-23-27-TRAN

Equipment Required, Not Supplied:

AMMO, MILES 2000 Halo and Harness

DVC-T 23-030B

M16A2 RIFLE BRASS DEFLECTOR



Purpose of Trainer:

Protects Left-handed shooters/marksman from heated expended brass.

Contents:

DVC#:

Auth Issue


1 ____ M16A2 Brass Deflector T23-030B

Equipment Required, Not Supplied:

None

DVC-T 23-033

M21 ANTITANK PRACTICE MINE KIT



Purpose of Trainer:

A full-scale plastic replica of the M21 Antitank Mine with plastic fuze, booster, tilt rod and wrench. The device is used for classroom and outdoor instruction on the mine characteristics and nomenclature; the arming, handling, and functioning of the mine; and can also be used for minefield emplacement training.

Contents:

DVC

Auth Issue

1 ___ M21 AT Mine Kit T23-033

Kit Components

Part Number


<u>1</u> ___	AT M21 Mine Body	T23-33
<u>1</u> ___	M607 Fuze	D05-048E
<u>1</u> ___	Tilt Rod	D05-048F
<u>1</u> ___	M26 Arming Wrench	D05-048G
<u>1</u> ___	M120 Booster	D05-048N

Equipment Required, Not Supplied:

None

DVC-T 23-034

M16A1 ANTIPERSONNEL PRACTICE MINE



Purpose of Trainer:

The device is used for classroom and outdoor instruction on the mine characteristics and nomenclature; the arming, handling, and functioning of the mine; and can also be used for minefield emplacement training.

Contents:

DVC#:

Auth Issue

1 ___ AP M16A1 Mine Kit T23-034

Kit Components

Part Number

1 ___ AP M16A1 Mine T23-34

1 ___ M606 Fuze T05-048H

1 ___ M25 Arming Wrench D05-048I

Equipment Required, Not Supplied:

None

DVC-T 23-038

M14 ANTIPERSONNEL MINE (DUMMY)

**Purpose of Trainer:**

This inert device is used for classroom and outdoor instruction on the nomenclature and characteristics of the mine; the arming, handling, and functioning of the mine. It can also be used for minefield emplacement training.

Contents:

Auth Issue

1 ____ AP M14 Mine

DVC#:


T23-038

Equipment Required, Not Supplied:

None

DVC 23-52

M2K INDEPENDENT TARGET SYSTEM (ITS) KIT



Purpose of Trainer:

The Purpose of this trainer is to replace Basic MILES systems at home-station due to age of technology and cost to maintain. The M2K system incorporates an After Action Review capability not in the Basic MILES, which greatly enhances training for the soldiers participating in the exercises.

The Combat Vehicle System (CVS) is a component of the Multiple Integrated Laser Engagement System 2000 (M2K). The M2K is a family of training systems, which simulate the effects of direct-fire weapons at their operational ranges. The M2K system is primarily used for force-on-force training from squad up to and including Brigade level. M2K equipment is downward compatible with the Basic MILES equipment presently fielded.

Contents:

DVC#:

Auth Issue

1 ___ ITS Kit

A23-52

Kit Components

Part Number

<u>1</u> ___	Operator Manual.	TD9-6920-713-10
<u>1</u> ___	20" Mast Assembly	146708-2
<u>1</u> ___	Cable Assembly	147003-1
<u>1</u> ___	Mast Adapter	147014-1
<u>1</u> ___	Control Unit	146402-2
<u>1</u> ___	Power Controller Assembly	146409-2
<u>1</u> ___	KSI Adapter	147036-1
<u>1</u> ___	KSI Mast Adapter	147009-1
<u>1</u> ___	Detector Array Assembly	147049-1
<u>1</u> ___	Power Adapter	11677570
<u>2</u> ___	½" U-bolt	8896T54
<u>2</u> ___	2" U-bolt	8896T26
<u>2</u> ___	4" Square Bolt	3060T47
<u>12</u> ___	3/8" Flanged Nut	93776A461
<u>1</u> ___	ITS Transit Case	148332-1
<u>1</u> ___	6" Black Strap	170790
<u>1</u> ___	8" Black Strap	170091
<u>1</u> ___	12" Black Strap	170782

Equipment Required, Not Supplied:

None

DVC 23-53

CONTROLLER DEVICE, CD/TD (MILES 2000)



Purpose of Trainer:

The device is a component of the Multiple Integrated Laser Engagement System (MILES). Training system accurately, and in real time, simulates the effect of direct and indirect fire (artillery, nuclear, or chemical weapons, and mines) as they would affect a vehicle/soldier in combat. This permits realistic combat training that provides the capability for two-sided, real-time tactical engagement at unit sizes up to battalion and for realistic casualty assessments. CD/TD resets and controls all MILES Equipment.

Contents:

- 1 ____ CD/TD Controller
- 1 ____ CD/TD Transit Case (10 Count)

DVC#:

A23-53
L-23-53-TRAN

Case Components

- 1 ____ TDTD/PC Interface Assembly
- 1 ____ Cable Assembly
- 1 ____ Operators Manual

Part Number

147920-2
147959-1
TD63-6920-703-10

Equipment Required, Not Supplied:

Ammo, Weapon, MILES Torso, MILES Halo, MILES SATS

DVC 23-58

MILES 2000 ASAAF KIT



Purpose of Trainer:

The ASAAF is used for automatic boresight alignment of all small arm weapons and machine guns MILES 2000 SATS.

Contents:

Auth Issue

1 ___ ASAAF Kit

DVC#:

A23-58A

Kit Components

2 ___ ASAAF Assembly
2 ___ Dry Fire Cable
2 ___ 3/8 Drive 60 lb Torque Wrench
2 ___ 3/8 Drive 85 lb Torque Wrench
2 ___ 3/8 Drive 3/16 Hex Socket
2 ___ 3/8 Drive 5/32 Hex Socket
10 ___ 5/32 Hex Wrench
10 ___ 3/16 Hex Wrench
2 ___ Tool Bag
2 ___ Power Cord
X ___ SAT Lock Wedge (Expendable)
1 ___ Operator Manual
1 ___ ASAAF Transit Case

Part Number

A99-86
147960-1
147674-1
147674-2
7122A46
7122A47
7122A46
7122A47
5655A11
L-A23-58-10
147953-7
TD23-6920-705-10
147392-1

Equipment Required, Not Supplied:

Miles 2000 Weapon SATS

L-A23-67

HOME STATION INSTRUMENTED TRAINING SYSTEM (IHITS) KIT



Purpose of Trainer:

I-HITS Provides Soldiers CTC-Like Instrumentation Capabilities for use at Home stations. I-HITS is a Fully Deployable System That provides real time tracking of soldiers with engagement lines for fires from soldier to soldier and Area Weapons Effects (AWE) for the battlefield to include indirect fires, minefields, obstacles, air delivered munitions, and NBC effects. It provides timely, accurate feedback for AARs, including video playback, Power Point slide shows, and the unit will receive a take home packet of the exercise to use for internal AARs and future ops/training.

Contents:

DVC#:

Auth Issue

<u>1</u>	___	HITS Kit	L-A23-67
<u>1</u>	___	HITS Transit Case (10 count)	284543-1

Kit Components

Part Number

<u>1</u>	___	HITS Vest Type I	284530-3
<u>1</u>	___	HITS Vest Type II	284530-3
<u>1</u>	___	HITS Radio	325015-3
<u>1</u>	___	HITS Pigtail	284558-1
<u>1</u>	___	HITS Battery	L-BAT-HIT
<u>1</u>	___	M4/M16 SAT	148465-1
<u>1</u>	___	Helmet detector (HALO)	148246-1

Equipment Required, Not Supplied:

None

L-23-ABS-BLK

ABS TRANSIT CASE



Purpose of Trainer:

Transit case used for transportation and shipping of TADS.

Contents:

DVC#:

Auth Issue

1 ___ ABS Transit Case Black

L-23-ABS-BLK

Equipment Required, Not Supplied:

None.

L-23-ABS-LG

ABS TRANSIT CASE



Purpose of Trainer:

Transit case used for transportation and shipping of TADS.

Contents:

DVC#:

Auth Issue

1 ___ ABS Transit Case Large Black L-23-ABS-BLK-LG

Equipment Required, Not Supplied:

None.

L-23-ABS-YEL

ABS TRANSIT CASE

**Purpose of Trainer:**

Transit case used for transportation and shipping of TADS.

Contents:**DVC#:**

Auth Issue

1 ____ ABS Transit Case Yellow

L-23-ABS-YEL

Equipment Required, Not Supplied:

None.

L-23-ANVIL-LG

LARGE ANVIL TRANSIT CASE

**Purpose of Trainer:**

Transit case used for transportation and shipping of TADS.

Contents:**DVC#:**

Auth Issue

1 ___ Anvil Transit Case Large

L-23-ANVIL-LG

Equipment Required, Not Supplied:

None

L-23-ANVIL-SM

SMALL ANVIL TRANSIT CASE

**Purpose of Trainer:**

Transit case used for transportation and shipping of TADS.

Contents:**DVC#:**

Auth Issue

1 ____ Anvil Transit Case Small


L-23-ANVIL-SM

Equipment Required, Not Supplied:

None.

L CUBIC-IR-TP1

IR TRACKER, ROOMINATOR, TYPE I

**Purpose of Trainer:**

Used in Urban operations training and provides position location capability within rooms and passageways of the training facility.

Contents:**DVC#:**

Auth Issue

1 ___ IR Roominator Tracker

L CUBIC-IR-TP1

Kit Components**Part Number**

1 ___ Tracker

810000

1 ___ Mounting Bracket

810001

Equipment Required, Not Supplied:

None

30 SERIES

INTELLIGENCE

OPPOSSING FORCE

T30-004

SUITCASE SAGGER KIT



Purpose of Trainer:

This device is used for classroom and field recognition training to emphasize the lethality, characteristics, and employment of primary foreign nation antitank weapons systems on the modern battlefield. It is also used during tactical training to simulate the employment of antiarmor systems by the opposing force and to enhance intelligence play.

Contents:

Auth Issue

1 ___ SAGGER Suitcase Kit

DVC#:

T30-004

Kit Components

Part Number

Equipment Required, Not Supplied:

None

L-T30-004

38 SPEC SHORT BARREL REVOLVER, PLASTIC



Purpose of Trainer:

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:

DVC#:

Auth Issue

1 ____ 38 Spec. Short Barrel L-T30-004

Equipment Required, Not Supplied:

None

T-30-004-1

38 SPEC LONG BARREL REVOLVER, PLASTIC



Purpose of Trainer:

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:**DVC#:**


Auth Issue

1 ___ 38 Spec. Long Barrel L-T30-004-1**Equipment Required, Not Supplied:**

None

DVC-T 30-005

RPG-7 ANTITANK GRENADE LAUNCHER WITH ROUND

**Purpose of Trainer:**

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:**DVC#:**

Auth Issue

1 ___ RPG-7 Grenade Launcher

T30-005

1 ___ PG7M Grenade Projectile

T09-048-2

Equipment Required, Not Supplied:

None

DVC-T 30-006

AK-47 ASSAULT RIFLE



Purpose of Trainer:

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:

DVC#:

Auth Issue

1 ____ AK-47 Assault Rifle T30-006

Equipment Required, Not Supplied:

None

DVC-T 30-007

RPK SQUAD MACHINE GUN



Purpose of Trainer:

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:

DVC#:

Auth Issue

1 ____ RPK Squad Machine Gun

T30-007

Equipment Required, Not Supplied:

None

DVC-T 30-008

PM 50 PISTOL



Purpose of Trainer:

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:

DVC#:

Auth Issue

1 ____ PM 50 PISTOL

T30-008

1 ____ Holster

L-T30-008-1

Equipment Required, Not Supplied:

None

DVC-T 30-009

POMZ-2 ANTIPERSONNEL MINE



Purpose of Trainer:

This inert device is primarily used to teach and practice recognition, detection, removal and Render Safe Procedures in an EOD or UXO class.

Contents:

DVC#:

Auth Issue

1 POMZ-2 AP Mine

T30-009

Equipment Required, Not Supplied:

None

DVC-T 30-010

RG-42 ANTIPERSONNEL GRENADE

**Purpose of Trainer:**

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:**DVC#:**

Auth Issue

1 ____ RG-42 AP Grenade

T30-010

Equipment Required, Not Supplied:

None

DVC-T 30-011

RGD-5 ANTIPERSONNEL GRENADE

**Purpose of Trainer:**

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:**DVC#:**

Auth Issue

1 ____ RGD5 AP Grenade

T30-011

Equipment Required, Not Supplied:

None

DVC-T 30-012

RKG-3 ANTITANK GRENADE



Purpose of Trainer:

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:

DVC#:

Auth Issue


1 ___ RKG-3 AT Grenade T30-012

Equipment Required, Not Supplied:

None

DVC-T 30-14-1

SA-7 (GRAIL) Kit



Purpose of Trainer:

The GRAIL is used during classroom and field instruction to emphasize the lethality of foreign nation anti-aircraft capabilities. It is also used by the opposing forces during tactical exercises to enhance realism and introduce an anti-aircraft dimension to field intelligence play.

Contents:

DVC#:

Auth Issue

1 — SA-7 Grail Kit

T30-14

Kit Components

Part Number

1 — 9P54M Launcher

L-T30-14-1

1 — 9M32M Missile

L-T30-14-2

Equipment Required, Not Supplied:

None.

DVC-T 30-16A

OPFOR SHIRT OD GREEN



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:		DVC#:
Auth	Issue	
<u>1</u>	___ OPFOR Shirt GRN	T30-16A
<u>1</u>	___ Shoulder Board GRN	T30-19
<u>1</u>	___ Shoulder Board BLK	T30-19
<u>1</u>	___ Shoulder Board RED	T30-19
<u>1</u>	___ Infantry Pin Subdued	T30-19
<u>1</u>	___ Armored Pin Subdued	T30-19
<u>1</u>	___ Infantry Pin Brass	T30-19
<u>1</u>	___ Armored Pin Brass	T30-19

Equipment Required, Not Supplied:

None

DVC-T 30-018

SVD SNIPER RIFLE



Purpose of Trainer:

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:

DVC#:

Auth Issue

1 ___ SVD Sniper Rifle

T30-018

Equipment Required, Not Supplied:

None

DVC-T 30-024

UZI MACHINE GUN, PLASTIC

**Purpose of Trainer:**

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:**DVC#:**

Auth Issue

1 ___ UZI Machine Gun

T30-024

Equipment Required, Not Supplied:

None

L-T-07-M240

M240 MACHINE GUN, PLASTIC



Purpose of Trainer:

This device can be used for drill and ceremony, instruction, physical training, and demonstrations.

Contents:

DVC#:

Auth Issue

1 ___ M240 Machine Gun L-T07-M240

Equipment Required, Not Supplied:

None

DVC-T 30-026

MAC-II WITH SILENCER



Purpose of Trainer:

This device is designed to enhance the realism of Opposing Force simulation during tactical training and can also be used for classroom or field instruction on foreign nation weapons.

Contents:

DVC#:

Auth Issue

<u>1</u>	___	MAC-II Machine Gun	T30-026
<u>1</u>	___	MAC-II Silencer	L-T30-026-1

Equipment Required, Not Supplied:

None

L-T07-M249

M249 MACHINE GUN (SAW), PLASTIC

**Purpose of Trainer:**

This device can be used for drill and ceremony, instruction, physical training, and demonstrations.

Contents:**DVC#:**

Auth Issue

1 M249 Machine Gun (SAW) L-T-07-M249

Equipment Required, Not Supplied:

None

DVC-T 30-28A

OPFOR SHIRT BLACK MEDIUM

**Purpose of Trainer:**

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:**DVC#:**

Auth Issue

1 ___ OPFOR Shirt BLK MED T30-28A

Equipment Required, Not Supplied:

None

DVC-T 28-28B

OPFOR SHIRT BLACK LARGE

**Purpose of Trainer:**

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:**DVC#:**

Auth Issue

1 ____ OPFOR Shirt BLK LG T30-28B**Equipment Required, Not Supplied:**

None

DVC-T 30-28C**OPFOR SHIRT BLACK MEDIUM**

**Purpose of Trainer:**

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:**DVC#:**

Auth Issue

1 ____ OPFOR Shirt BLK XL T30-28C**Equipment Required, Not Supplied:**

None

DVC-T 30-030

SUICIDE BOMB VEST



Purpose of Trainer:

The device can be used in or outside the classroom to teach soldiers how Suicide Bombers might place them into a targeted area.

Contents:

DVC#:

Auth Issue

1 ____ Suicide Bomb Vest

T30-030

Equipment Required, Not Supplied:

Foreign Clothing

DVC-T 30-031A

MAN'S ISLAMIC SHIRT MEDIUM



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

DVC#:

Auth Issue

1 ____ Man's Long Sleeve Shirt M "Disha Dasha" T30-031A

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

DVC-T 30-031B

MAN'S ISLAMIC SHIRT LARGE



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

DVC#:

Auth Issue

1 ___ Man's Long Sleeve Shirt L "Disha Dasha" T30-031B

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

DVC-T 30-032

MAN'S ISLAMIC HEADBAND



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

DVC#:

Auth Issue

1 ____ Man's Headband Rope "Egal"

T30-032

Equipment Required, Not Supplied:

Head Scarf, Under Clothing (socks, underwear, tee shirt), Footwear

DVC-T 30-033

MAN'S ISLAMIC HEAD SCARF

**Purpose of Trainer:**

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:**DVC#:**

Auth Issue

1 ___ Man's Head Scarf "Shimagh" T30-033

Equipment Required, Not Supplied:

Headband, Under Clothing (socks, underwear, tee shirt), Footwear

DVC-T 30-034A

MAN'S ISLAMIC PANTS MEDIUM

**Purpose of Trainer:**

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:**DVC#:**

Auth Issue

1 ____ Man's Drawstring Pants M

T30-034A

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

DVC-T 30-034B

MAN'S ISLAMIC PANTS LARGE

**Purpose of Trainer:**

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:**DVC#:**

Auth Issue

1 ___ Man's Drawstring Pants L

T30-034B

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

L-T30-035

MAN'S ISLAMIC DRESS HAT



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

DVC#:

Auth Issue

1 ___ Man's Dress Hat

L-T30-035

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

L-T30-036

MAN'S ISLAMIC TURBIN HAT

**Purpose of Trainer:**

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

Auth Issue

1 ____ Man's Turbin Hat

DVC#:

L-T30-036

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

L-T30-037

MAN'S ISLAMIC ROBE COAT



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

DVC#:

Auth Issue

1 ____ Man's Robe Coat

L-T30-037

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

DVC-T 30-038

WOMAN'S ISLAMIC CLOTHES



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

DVC#:

Woman's Dress	L-T30-038
Woman's Veil	L-T30-039
Woman's Scarf	L-T30-040
Woman's Hood Scarf	L-T30-041

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

L-T30-038

WOMAN'S ISLAMIC DRESS



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

DVC#:

Auth Issue

1 ____ Woman's Dress

L-T30-038

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

L-T30-039

WOMAN'S ISLAMIC VEIL



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

DVC#:

Auth Issue

1 ____ Woman's Veil

L-T30-039

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

L-T30-040

WOMAN'S ISLAMIC SCARF



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

DVC#:

Auth Issue

1 ____ Woman's Scarf

L-T30-040

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

L-T30-041

WOMAN'S ISLAMIC HOOD SCARF



Purpose of Trainer:

These devices are used to add realism during Force on Force exercises and should be used in all ARTEPS that use an Opposing Force.

Contents:

DVC#:

Auth Issue

1 ___ Woman's Hood Scarf L-T30-041

Equipment Required, Not Supplied:

Under Clothing (socks, underwear, tee shirt), Footwear

L-BLU-CVRL

BLUE COVERALLS, SMALL



Purpose of Trainer:

Contents:

DVC#:

Auth Issue

1 ___ Blue Coverall Small

L-BLU-CVRL

Equipment Required, Not Supplied:

None

L-BLU-CVRL-1

BLUE COVERALLS MEDIUM



Purpose of Trainer:

Contents:

DVC#:

Auth Issue

1 — Blue Coverall Medium

L-BLU-CVRL-1

Equipment Required, Not Supplied:

None

L-BLU-CVRL-2

BLUE COVERALLS LARGE

Purpose of Trainer:

Contents:

DVC#:

Auth Issue

1 — Blue Coverall Large

L-BLU-CVRL-2

Equipment Required, Not Supplied:

None

Note there only are two sizes 48 reg and 52 reg.

L-TAN-CVRL

TAN COVERALLS



Purpose of Trainer:

Provide clothing option for force on force training.

Contents:

DVC#:

Auth Issue

1 ____ Tan Coverall Small

L-TAN-CVRL

Equipment Required, Not Supplied:

None

L-TAN-CVRL-1

TAN COVERALLS

Purpose of Trainer:

Provide clothing option for force on force training.

Contents:

DVC#:

Auth Issue

1 ____ Tan Coverall Medium

L-TAN-CVRL-1

Equipment Required, Not Supplied:

None Note there are only one size small

L-TAN-CVRL-2

TAN COVERALLS

**Purpose of Trainer:**

Provide clothing option for force on force training.

Contents:**DVC#:**

Auth Issue

1 ____ Tan Coverall Large

L-TAN-CVRL-2

Equipment Required, Not Supplied:

None Note there are only one size small

L-FLD-SHRT

FIELD SHIRT WOOL, BROWN

**Purpose of Trainer:**

Provide clothing option for force on force training.

Contents:**DVC#:**

Auth Issue

1 ___ Brown Wool Field Shirt L-FLD-SHRT

Equipment Required, Not Supplied:

None

L-GRN-CVRL

GREEN COVERALLS



Purpose of Trainer:

Provide clothing option for force on force training.

Contents:

DVC#:

Auth Issue

1 ____ Green Coverall Small

L-GRN-CVRL

Equipment Required, Not Supplied:

None

L-GRNCVRL-1

GREEN COVERALLS

**Purpose of Trainer:**

Provide clothing option for force on force training.

Contents:**DVC#:**

Auth Issue

1 ____ Green Coverall Medium

L-GRN-CVRL-1

Equipment Required, Not Supplied:

None

L-GRN-CVRL-2

GREEN COVERALLS

**Purpose of Trainer:**

Provide clothing option for force on force training.

Contents:

Auth Issue

1 ____ Green Coverall Large

DVC#:

L-GRN-CVRL-2

Equipment Required, Not Supplied:

None

55 SERIES

TRANSPORTATION

DVC 55-62

HMMWV EGRESS ASSISTENCE TRAINER



HMMWV Egress Assistance Trainer (HEAT)

- Emulates Soldier training techniques to egress in emergency situations
- Consists of a M1114 HMMWV cab mounted to an engineered design frame
- Soldiers, including the gunner, are properly trained to open safety restraints and how to exit the vehicle through doors or gunner's hatch in a variety of rotated positions
- Demonstrates the vehicle tip point
- 53 HEAT trainers are set to be manufactured by Red River Army Depot and will be utilized Army-wide

HEAT Technical Data

- 180 degree rollover in 9 seconds
- Weight: 13,200 lbs
- Configuration Dimensions:
 - Training – 177" l x 182" w x 121" h
 - Shipping – 177" l x 106" w x 97" h
- Safety Certified by ATEC
- Safety features include door interlocks, interior / exterior "kill" switches, gunner's cage, and simulated foam components
- Interior audio and video playback
- Egress at 90 or 180 degree cab rotation
- Slip ring allows unlimited rotation
- Powered by four 24V DC Hawker batteries
 - Battery charging: 110V (30 amp) or 220V

DVC 55-66

COMMON DRIVER TRAINER STRYKER VARIENT



Purpose of Trainer:

CMN DVR TNR STRYKER is a commuter based hydraulic operated 3D system that operates in real time to simulate out-the-window viewing from the STRYKER cab. Generates full color scene and terrain. Has a sound system that produces a variety of vehicle and terrain sounds. Utilizes communication headsets between commander/trainer components and interaction with other STRYKER vehicles. Provides realistic environmental weather and road conditions. Has 3 degree of freedom electric motion system capable of providing motion sensations to the operator.

Contents:

DVC #:

Auth Issue

1 ____ CMN DRV TNR STRYKER Kit

A55-66

Kit Components

Part Number

1 ____ Interactive STRYKER Cab

L-A55-66-1

1 ____ Instructor Station

L-A55-66-2

1 ____ Communication Headset

L-A55-66-3

Equipment Required, Not Supplied:

None

**FWA Located in BCTC, Bldg 3437; call
353-1421 to schedule.**

71 SERIES

COMBINED ARMS

99 SERIES

MISCELLANEOUS

DVC 99-38

AT-4 FIELD HANDLING TRAINER

**Purpose of Trainer:**

A practice weapon for a hand-held recoilless anti-armor weapon. Trains personnel on handling the weapon and putting it into operation and practice sighting and dry firing.

Contents:**DVC#:**

Auth Issue

1 — AT-4 Field Handling Trainer A99-38

Equipment Required, Not Supplied:

None

DVC 99-65-2-J

UH-60 SMODIM, JRTC

Purpose of Trainer:

Contents:

Auth Issue

1 ___ UH-60 SMODIM Kit

DVC#:

A99-65-2-J

Kit Components

Part Number

___ ___

Equipment Required, Not Supplied:

None

DVC 99-81

ADVANCED CHILDBIRTH SIMULATOR



Purpose of Trainer:

This is an anatomically correct pelvic model with full term newborn and placenta to give your trainees realistic practice in multiple techniques, and to learn the procedure for emergency childbirth.

Contents:

DVC#:

Auth Issue

1 ____ Childbirth Kit

A99-81

	<u>Kit Components</u>	<u>Part Number</u>
<u>1</u> ____	OB Manikin	180
<u>2</u> ____	Pelvis (Rigid)	181
<u>1</u> ____	OB Vulva	182
<u>1</u> ____	OB Transparent Overlay	183
<u>1</u> ____	OB Pregnant Overlay w/ Premie	184
<u>1</u> ____	OB Opaque Overlay	171
<u>1</u> ____	Placenta	185
<u>2</u> ____	Umbilical Cords	159
<u>1</u> ____	Methyl Cellulose	162
<u>1</u> ____	Fetus Newborn	173
<u>2</u> ____	Umbilical Cord Clamps	167
<u>1</u> ____	Air Inflation Bag	187
<u>1</u> ____	OB Transit Case	186

Equipment Required, Not Supplied:

None.

DVC 99-89

MGS INSTRUCTOR M2K LAPTOP COMPUTER

**Purpose of Trainer:**

Instructor station computer for the MGS TESS Kit.

Contents:**DVC #:**

Auth Issue

1 ____ MGS Laptop Computer Kit

A99-89

Kit Components**Part Number**

1 ____ Laptop Computer

L-A99-89-1

1 ____ Laptop Power Cord

L-A99-89-2

1 ____ Video Splitter Box

L-A99-89-3

1 ____ Splitter Power Cord

L-A99-89-4

1 ____ Video Cable

L-A99-89-5

5 ____ Video Adapter

L-A99-89-6

1 ____ Operator Manual

L-A99-89-7

1 ____ Software

L-A99-89-8

1 ____ Memory Card

L-A99-89-9

1 ____ Laptop Transit Case

L-A99-89-10

Equipment Required, Not Supplied:

None

DVC 99-96

SUTURE PRACTICE ARM

**Purpose of Trainer:**

Provides a lifelike suturing experience for students or a realistic suturing demonstration by an instructor. Realistic skin texture with wrinkles, pores, and visible fingerprints.

Contents:**DVC#:**

Auth Issue

1 ___ Suture Arm

A99-96

Equipment Required, Not Supplied:

Needles, Thread

DVC 99-115

I-DAGTS



Purpose of Trainer:

Interim Deployable Advanced Gunnery Training System (IDAGTS) will replicate the vehicle commander and gunner crew stations and controls providing them the capability to develop individual and crew gunnery skills.

Contents:

DVC#:

Auth Issue

1 — I-DAGTS

L-A99-115

Kit Components

Part Number

<u>10</u>	—	Instructor Manual	24D-A007-1B
<u>3</u>	—	Operator Guide	24D-C001-1
<u>22</u>	—	Wall Outlet Adapter	L-A99-115-1
<u>1</u>	—	Joystick	N231
<u>1</u>	—	Keyboard	L-A99-115-2
<u>8</u>	—	Connector Cable	L-A99-115-3
<u>2</u>	—	Transit Case	L-A99-115-4
<u>4</u>	—	Commo Headset	L-A99-115-5
<u>2</u>	—	Power Converter	L-A99-115-6
<u>2</u>	—	Control Box	L-A99-115-7
<u>2</u>	—	Computer Monitor	L-A99-115-8
<u>1</u>	—	Printer	L-A99-115-9
<u>1</u>	—	Battery Backup APC 3000	L-A99-115-10
<u>2</u>	—	Rolling Chairs	L-A99-115-11

Equipment Required, Not Supplied:

None

**FWA Located in BCTC, Bldg 3437; call
353-1421 to schedule.**

DVC-T 99-116

ESCALATION OF FORCE KIT



Purpose of Trainer:

Device can be utilized in a classroom environment either indoor or outdoor or in a field environment. Kit is designed to familiarize personnel with the translation devices that will be utilized in Theater. Translator kit is utilized for check point operations, crowd control, initial greetings, field interview, victim interview, medical assistance, domestic issues, traffic stops and supports the Army's IED-D Training Strategy.

Contents:

Auth Issue

1 ___ Escalation of Force (EOF) Kit

DVC #:

T99-116

Kit Components

1 ___ Blackhawk Duffel Bag
1 ___ Phraselator P2
1 ___ Phraselator Transit Case w/strap
1 ___ Phraselator Operator Manual
1 ___ Phraselator Instruction CD/DVD
1 ___ Phraselator Quick Ref. Guide
1 ___ Phraselator Ref. Cards (1-6, 1-2)
1 ___ Phraselator Recalibrating Guide
1 ___ Phraselator USB Cable
1 ___ Phraselator DC Charger
1 ___ Phraselator Vehicle Charge
1 ___ Voice Response Translator (VRT)
1 ___ VRT Transit Case w/o strap
1 ___ VRT Molle Ammo Case
1 ___ VRT Fanon Megaphone
1 ___ VRT DC Charger
1 ___ VRT Audio Cable
1 ___ VRT Connector Cable
2 ___ VRT Instruction CD/DVD
5 ___ VRT Reference Guide (13 Cards Each)
1 ___ VRT Quick reference Sheet

Part Number

L-T99-116-1
5805-01-531-5590
L-T99-116-2
L-T99-116-3
L-T99-116-4
L-T99-116-5
L-T99-116-6
L-T99-116-7
L-T99-116-8
L-T99-116-9
L-T99-116-10
5830-01-552-7400
L-T99-116-11
L-T99-116-12
L-T99-116-13
L-T99-116-14
L-T99-116-15
L-T99-116-16
L-T99-116-17
L-T99-116-18
L-T99-116-19

<u>1</u>	___	Night Hunter Flashlight	6230-01-538-9928
<u>1</u>	___	Night Hunter Transit Case	L-T99-116-20
<u>1</u>	___	Night Hunter Carrying Strap	L-T99-116-21
<u>1</u>	___	Night Hunter DC Charger	L-T99-116-22
<u>1</u>	___	Night Hunter NATO Charger	L-T99-116-23
<u>1</u>	___	Night Hunter Charger Connector Cable	L-T99-116-24
<u>1</u>	___	Night Hunter IR Lens	L-T99-116-25
<u>2</u>	___	Flex Cuff Cutter	L-T99-116-26
<u>1</u>	___	Non Lethal Ammo Case w/ strap	L-T99-116-27
<u>1</u>	___	Forearm Quick Reference Holder	L-T99-116-28
<u>1</u>	___	Operators Manual	TB9-1367-002-13

		<u>Expendable Components</u>	<u>TS-MATS DVC#</u>
<u>4</u>	___	AAA Battery	L-BAT-AAA
<u>16</u>	___	C Battery	L-BAT-C
<u>10</u>	___	Flex Cuffs	L-FLEX-CUF
<u>10</u>	___	Flex Cuff Pull Ring	L-PULL-RING

Equipment Required, Not Supplied:

None